

Since 1997<sup>®</sup>



# EUROAQUA PLUMTEK PVT LTD

An ISO 9001:2015 Certified Company



# TABLE OF CONTENTS

	Page: no
 About - EUROAQUA PLUMTEK	3
 Road to Success	4
 Company Values & Products	5
 Machines & Testing Methods	6
 Extrusion Images	7
 Manufacturing Process	9
 Packing Process	10
 Our Catalogues	11
 Test Certificates	23
 Company Certificates	53
 Installation	58
 Satisfaction Certificates	63
 Clients & Customers	77
 Social Media	79
 Our Branches	80



## WELCOME TO OUR COMPANY

Euroaqua Plumtek private limited is an ISO 9001 2015-certified organization, Initially started in the Name of Sakkthi Polymers in the year 1997 by **Er. P. Mohan MD & CEO** then incorporated as Euroaqua Plumtek Pvt Ltd in the year 2019. Our headquarters located at Sankari, Salem, Tamil Nadu and have multiple branches across India & Srilanka.

We are specialized in manufacturing PPR, PP-RCT, PE-RT, MDPE Pipes & Fittings, PVC Flexible Hoses for Agriculture and Industries. Under the brand name “**EUROAQUA**”, “**AIRGUARD**” & “**PLUMTEK**”, which includes Taps, Faucets, Valves, Hoses and complete solution for Domestic & Industrial plumbing system. We are one of the leading Manufacturer and exporter of complete range of PPR pipes and fittings in India and first in South Asia, Introduced PP-RCT technology. We are exporting to more than 15 countries across the globe.

We aim to increase our product range to meet the every corner of a growing India with over 25 years of manufacturing experience. Expertise in bringing high quality solution to reduce bottom line Installation costs, extending the life span of piping system.



**Founder: Er. P. Mohan B.E(Mech)., PGD. PE., (Plastics Engineering)**  
 (M.D & CEO)



**Mr. P. Mohan**  
 M.D & CEO



B.E-Mechanical Engineering, Annamalai University, 1993,  
 PGD-PE Plastics Engineering - 1995 - CIPET, Guindy, Chennai.

### Membership

- **PLEXCONCIL** - Plastic Export Promotion Council of India  
 Panel Chairman - Pipes & Fittings Export in India.
- **FIEO** - Federation of India Exporters Organisation
- **AIPMA** - All India Plastic MANF Association
- **TAPMA** - Tamilnadu Plastic MANF Association
- Star Export House Status holder by DGFT



**Establishment** : 1997 (25 years)



**Number of Employees** : 300



### Awards:

- Best SME of the Year 2016, in Manufacturing Sector.
- GEM of India 2005.



**Head Office:** Eddapadi Main Road, Kuppanoor (Po), Sankagiri – 637301, Salem, Tamil Nadu, India



**Overseas Branch:** 393, Old Moor Street, Colombo-12, Srilanka. Contact: +94 112333855 | 112333866



04283 242936/242937 | +91 99650 05555, +91 73730 73333



[www.plumtek.in](http://www.plumtek.in) | [www.euroaquappr.com](http://www.euroaquappr.com)



[info@euroaquappr.com](mailto:info@euroaquappr.com) | [support@euroaquappr.com](mailto:support@euroaquappr.com)




# MILESTONE

ROAD TO SUCCESS

**2022**   
First Manufacturer in INDIA to introduce  
Pushfit- PLUMTEK FASTFIT


**2020**   
Started Manufacturing  
MDPE pipes & Fittings

**2019**  
Incorporated as  
Euroaqua Plumtek Private Limited  




Started Operation in  
SRILANKA

**2016**

**2015** Under the brand name  
PLUMTEK started  
manufacturing  
TAPS, FAUCETS & VALVES 



**2011** Started Manufacturing  
PVC braided hose

**2008**  
Started  
Manufacturing  
PPR pipe fittings 

**2004** South India's first company  
to manufacturing PPR pipe

**2002**  
Manufactured PVC  
Suction hose &  
Garden hose 

**1998**

Started  
Sakkthi Polymers



EUROAQUA  
**PLUMTEK**  
ELEGANT & ECONOMIC  
TAPS | FAUCETS | HOSES | PIPES & FITTINGS

## COMPANY VALUES



### VISION


“Our vision is to achieve greater goals beyond boundaries with dedication & professionalism”



### MISSION

“We strive to offer our customers the cost-effective products at the excellent quality with the utmost satisfaction”

## OUR PRODUCTS




### PPR PIPES & FITTINGS

EUROAQUA (ISI)-PPR Pipes & Fittings - Leading Manufacturer & Exporter in India




### TAPS & FAUCETS

PLUMTEK-ABS Water Taps, Faucets, Valves & Accessories.



### PVC HOSES

PLUMTEK-PVC Flexible Garden, Suction & Pneumatic Industrial Hoses.



### PERT PIPES & FITTINGS

PLUMTEK PERT Pipes & PB1 Fittings - First Time in India  
Introducing PB1 Universal Pushfittings




### MDPE PIPES & FITTINGS

PLUMTEK MDPE Pipes and Fittings.  
JAL JEEVAN MISSION INDIA

**Complete Industrial & Domestic Plumbing Solution**



## OUR MACHINES



- ▶ Injection Moulding Machine - 30 Nos
- ▶ Moulds - 800 Nos

### EXTRUSION

- ▶ PPR,PPR-CT - 4 Lines
- ▶ PERT - 1 Line
- ▶ MDPE - 1 Line
- ▶ Suction Hose - 9 Lines
- ▶ Braided Hose - 3 Lines
- ▶ Garden Hose - 4 Lines
- ▶ Steel Wire Hose - 1 Line
- ▶ Industrial Hose - 1 Line
- ▶ Compounding - 3 Lines

## TESTING METHODS

- ▶ Hydrostatic Pressure Test
- ▶ Reversion Test
- ▶ Opacity Test
- ▶ Melt Flow Index Test
- ▶ Density
- ▶ Impact Test
- ▶ Carbon Black Content Test
- ▶ 3D Printer



## EXTRUSION IMAGES

### IMD UNIT



### HOSE UNIT



## EXTRUSION IMAGES

### ASSEMBLING & PACKING UNIT



### PPR UNIT





# MANUFACTURING PROCESS - PPR PIPE

Step: 1



Hopper  
( Material Feeder )




Step: 2



Vaccum Tank



Step: 3



Spray Cooling Tank 1 & 2



Step: 4



Haul Off



Step: 5



Cutter



Step: 6



Packing

# PACKING PROCESS

Step: 1



Production



Step: 2



QC Pass Internal Store



Step: 3



Assembling



Step: 4



Packing



Step: 5



Ready to Dispatch

# PPR PIPES & FITTINGS - CATALOGUE

# EUROAQUA®

PPR & PPR-CT PLUMBING TECHNOLOGY

# Airguard®

PNEUMATIC PIPING

Globally Accepted

100% Leak Proof Technology

Piping Systems



DIN 8077 / 8078 PIPES  
DIN 16962 FITTINGS



**1<sup>st</sup> Company**  
in South Asia, Introduced  
PPR-CT Technology

**1<sup>st</sup> Company**  
in India, Introduced  
Weld-in-Saddle Technology  
40mm to 315mm

**PPR & PPR-CT PLUMBING TECHNOLOGY**

- Hot & Chilled Water
- Infrastructure
- Air
- Pharma
- Food
- Paper
- Strong Chemicals
- Leather
- Textile

Can be used from -5°C to 95°C No maintenance cost





Scan for  
Euroaqua Website

Manufactured By  
**EUROAQUA PLUMTEK PVT LTD**  
An ISO 9001 : 2015 Certified Company  
Edappadi Main Road, Kuppanoor P.O., Sankagiri - 637 301, Tamilnadu, India.  
Customer Care ☎: +91 4283 242936 / 37. 📠: +91 73730 73333, 99650 05555.  
✉: support@euroaquapr.com 🌐: www.euroaquapr.com | www.abstaps.com | www.plumtek.in



Scan for  
Plumtek Youtube

**Leading Manufacturer and Exporter of Complete Range of PPR Pipes & Fittings**



EUROAQUA

Airguard

PPR-C FITTINGS SERIES

**WELD SADDLE (FEMALE THREAD)**

CODE	SIZE	PCS
EB801	40x1/2"	40/160
EB802	50x1/2"	40/160
EB803	63x1/2"	25/150
EB804	63x3/4"	25/150
EB805	75x1/2"	25/150
EB806	75x3/4"	25/150
EB807	90x1/2"	25/150
EB808	90x3/4"	25/150
EB809	110x1/2"	25/150
EB810	110x3/4"	25/150
EB811	125x1/2"	25/150
EB812	125x3/4"	25/150
EB813	160x1/2"	25/150
EB814	160x3/4"	25/150
EB815	200x1/2"	25/150
EB816	200x3/4"	25/150
EB817	250x1/2"	25/150
EB818	250x3/4"	25/150
EB819	315x1/2"	25/150
EB820	315x3/4"	25/150

**METAL UNION**

CODE	SIZE	PCS
EJ301	20mm	15/105
EJ302	25mm	15/90
EJ303	32mm	15/60
EJ304	40mm	10/30
EJ305	50mm	8/24
EJ306	63mm	5/15

**MALE THREAD ELBOW**

CODE	SIZE	PCS
EE401	20x1/2"	30/120
EE402	25x1/2"	20/100
EE403	25x3/4"	15/75
EE404	32x1/2"	15/60
EE405	32x3/4"	15/60
EE406	32x1"	10/40

**WALL PLATE MALE THREAD ELBOW**

CODE	SIZE	PCS
EW401	20x1/2"	***
EW402	25x1/2"	***

**NEW ARRIVAL**

**CONCEALED STOP VALVE**

CODE	SIZE	PCS
EH001A	20mm	30
EH002A	25mm	30
EH003A	32mm	30

A B C

**WELDING SADDLE DIE**

CODE	SIZE
EB901	40x20mm/ 1/2"
EB902	50x20mm/ 1/2"
EB903	63x25/32mm/ 1/2"/3/4"
EB904	75x25/32mm/ 1/2"/3/4"
EB905	90x25/32mm/ 1/2"/3/4"
EB906	110x25/32mm/ 1/2"/3/4"
EB907	125x32mm/1/2"/3/4"
EB908	125x40mm
EB909	160x32mm
EB910	160x40/50mm
EB911	160x63/75mm
EB912	200x63/75/90/110mm
EB913	250x63/75/90/110mm
EB914	315x63/75/90/110mm
EB915	200x25/32mm/1/2"/3/4"
EB916	250x25/32mm/1/2"/3/4"
EB917	315x25/32mm/1/2"/3/4"

**MALE THREAD TEE**

CODE	SIZE	PCS
EC301	20x1/2"	30/90
EC302	25x1/2"	20/60
EC303	25x3/4"	15/60
EC304	32x1/2"	15/60
EC305	32x3/4"	15/45
EC306	32x1"	10/30

**MALE THREAD UNION**

CODE	SIZE	PCS
EK101	20x1/2"	15/105
EK102	25x3/4"	15/75
EK103	32x1"	15/60
EK104	40x1-1/4"	10/30
EK105	50x1-1/2"	8/16
EK106	63x2"	6/12

**MALE THREAD COUPLER**

CODE	SIZE	PCS
EB301	20x1/2"	30/180
EB302	20x3/4"	20/120
EB303	25x1/2"	20/140
EB304	25x3/4"	20/120
EB305	32x1/2"	15/105
EB306	32x3/4"	15/105
EB307	32x1"	10/60
EB308	40x1-1/4"	10/30
EB309	50x1-1/2"	10/30
EB310	63x2"	8/16
EB311	75x2-1/2"	2/12
EB312	90x3"	2/4
EB313	110x4"	1/3

**FEMALE THREAD ELBOW**

CODE	SIZE	PCS
EE201	20x1/2"	30/150
EE202	25x1/2"	20/120
EE203	25x3/4"	15/75
EE204	32x1/2"	15/75
EE205	32x3/4"	15/75
EE206	32x1"	10/40
EE207	40x1-1/4"	10/20
EE208	50x1-1/2"	5/10

**WALL PLATE FEMALE THREAD ELBOW**

CODE	SIZE	PCS
EW201	20x1/2"	***
EW202	25x1/2"	***

**NEW ARRIVAL**

**TEMPLATE - ADJUSTABLE (FOR WALL MIXER ELBOW)**

CODE	PCS
ET001	***

**NEW ARRIVAL**



**CLAMP**

CODE	SIZE	PCS
EG001	20mm	100/600
EG002	25mm	70/420
EG003	32mm	50/300
EG004	40mm	50/300
EG005	50mm	50/200
EG006	63mm	25/100

**WELDING MACHINE (Imported)**

CODE	SIZE	PCS
EL112	20-43	5
EL113	75-110	4
EL114	160	1

WELDING DIE ONLY

CODE	SIZE	PCS
EL106	125mm	-

**REPAIR SET**

CODE	SIZE
EZ001	9mm
EZ002	11mm

**FEMALE THREAD TEE**

CODE	SIZE	PCS
EC201	20x1/2"	30/90
EC202	25x1/2"	25/75
EC203	25x3/4"	25/75
EC204	32x1/2"	15/60
EC205	32x3/4"	15/60
EC206	32x1"	10/30
EC207	40x1-1/4"	5/20

**FEMALE THREAD UNION**

CODE	SIZE	PCS
EI101	20x1/2"	15/105
EI102	25x3/4"	15/90
EI103	32x1"	15/60
EI104	40x1-1/4"	10/30
EI105	50x1-1/2"	8/24
EI106	63x2"	6/18

**FEMALE THREAD COUPLER**

CODE	SIZE	PCS
EB201	20x1/2"	30/180
EB202	20x3/4"	20/140
EB203	25x1/2"	20/160
EB204	25x3/4"	20/140
EB205	32x1/2"	20/120
EB206	32x3/4"	20/120
EB207	32x1"	15/75
EB208	40x1-1/4"	10/40
EB209	50x1-1/2"	10/30
EB210	63x2"	8/16
EB211	75x3-1/2"	2/12
EB212	90x3"	2/4
EB213	110x4"	1/3

**STOP VALVE**

CODE	SIZE	PCS
EH001	20mm	15/60
EH002	25mm	10/40
EH003	32mm	10/30
EH004	40mm	6/24
EH005	50mm	5/15
EH006	63mm	2/10

**LONG PIPE PLUG**

CODE	SIZE	PCS
ED201	1/2"	25/150
ED202	3/4"	25/150

**PLUG**

CODE	SIZE	PCS
ED101	1/2"	150/900
ED102	3/4"	100/600
ED203	1"	50/300

**PIPE CUTTER (Imported)**

CODE	SIZE	PCS
EM006	20-40mm	1/12
EM007	20-63mm	1/12

**PIPE CUTTER (Indian)**

CODE	SIZE	PCS
EM004	20-40mm	1/12
EM007	20-75mm	***

**WELDING MACHINE (Indian)**

CODE	SIZE	PCS
EL112	20-40	5
EL114	20-43	5
EL113	75-110	4

**WELDING DEVICE (Hydraulic Pump)**

CODE	SIZE	PCS
EB30	160mm	-

Available Colours



Small Carton Box (20 to 50mm Plain Fittings & Threaded Fittings all Sizes)  
Master Carton Box (63mm and above all Plain Fittings)

EUROAQUA



PIPE SERIES

## PPR

### PN10 /SDR11 /S 5

CODE	SIZE / DxT	LENGTH (mm)
EA001	20x2.0mm	75
EA002	25x2.3mm	50
EA003	32x2.9mm	30
EA004	40x3.7mm	15
EA005	50x4.6mm	10
EA006	63x5.8mm	7
EA007	75x6.8mm	5
EA008	90x8.2mm	5
EA009	110x10.0mm	3
EA010	125x11.40mm	3
EA011	160x14.60mm	1
EA012	200x18.20mm	1
EA013	250x22.70mm	1
EA014	315x28.60mm	1

### PN16 /SDR7.4 /S3.2

CODE	SIZE / DxT	LENGTH (mm)
EA201	20x2.8mm	75
EA202	25x3.5mm	50
EA203	32x4.4mm	30
EA204	40x5.5mm	15
EA205	50x6.9mm	10
EA206	63x8.6mm	7
EA207	75x10.3mm	5
EA208	90x12.3mm	5
EA209	110x15.1mm	3
EA210	125x18.9mm	2
EA211	160x21.9mm	1

### PN20 /SDR 6 /S2.5

CODE	SIZE / DxT	LENGTH (mm)
EA301	20x3.4mm	75
EA302	25x4.2mm	50
EA303	32x5.4mm	30
EA304	40x6.7mm	15
EA305	50x8.3mm	10
EA306	63x10.5mm	7
EA307	75x12.5mm	5
EA308	90x15.0mm	5
EA309	110x18.3mm	3
EA310	125x20.8mm	3
EA311	160x28.6mm	1

### PN25 /SDR 5 /S 2 \*

CODE	SIZE / DxT	LENGTH (mm)
EA401	20x4.0mm	75
EA402	25x5.0mm	50
EA403	32x6.4mm	30
EA404	40x8.0mm	15
EA405	50x10.0mm	10
EA406	63x12.6mm	7

### PN06 /SDR17.5 /S8.25

CODE	SIZE / DxT	LENGTH (mm)
EA512	200x11.4mm	1
EA513	250x14.2mm	1
EA514	315x17.90mm	1

### PN04 /SDR26 /S12.5 \*

CODE	SIZE / DxT	LENGTH (mm)
EA612	200x7.7mm	1
EA613	250x8.6mm	1
EA614	315x12.1mm	1

Available Colours: GREEN BLUE BLACK WHITE RED

## PPR - 3L ADVANCE PRO

### PN10 /SDR11 /S 5

CODE	SIZE / DxT	LENGTH (mm)
EA001A	20x2.0mm	75
EA002A	25x2.3mm	50
EA003A	32x2.9mm	30
EA004A	40x3.7mm	15
EA005A	50x4.6mm	10
EA006A	63x5.8mm	7
EA007A	75x6.8mm	5
EA008A	90x8.2mm	5
EA009A	110x10.0mm	3
EA010A	125x11.40mm	3
EA011A	160x14.60mm	1
EA012A	200x18.20mm	1
EA013A	250x22.70mm	1
EA014A	315x28.60mm	1

### PN16 /SDR7.4 /S3.2

CODE	SIZE / DxT	LENGTH (mm)
EA201A	20x2.8mm	75
EA202A	25x3.5mm	50
EA203A	32x4.4mm	30
EA204A	40x5.5mm	15
EA205A	50x6.9mm	10
EA206A	63x8.6mm	7
EA207A	75x10.3mm	5
EA208A	90x12.3mm	5
EA209A	110x15.1mm	3
EA210A	125x18.9mm	2
EA211A	160x21.9mm	1

### PN20 /SDR6 /S2.5

CODE	SIZE / DxT	LENGTH (mm)
EA301A	20x3.4mm	75
EA302A	25x4.2mm	50
EA303A	32x5.4mm	30
EA304A	40x6.7mm	15
EA305A	50x8.3mm	10
EA306A	63x10.5mm	7
EA307A	75x12.5mm	5
EA308A	90x15.0mm	5
EA309A	110x18.3mm	3
EA310A	125x20.8mm	3
EA311A	160x28.6mm	1


Available Colours: GREEN BLUE BLACK WHITE RED

### PN25 /SDR5 /S 2 \*

CODE	SIZE / DxT	LENGTH (mm)
EA401A	20x4.0mm	75
EA402A	25x5.0mm	50
EA403A	32x6.4mm	30
EA404A	40x8.0mm	15
EA405A	50x10.0mm	10
EA406A	63x12.6mm	7

\* Special request only  
Specification: size(mm) X wall thickness(mm)

**Ø125mm PPR PIPES & ALL FITTINGS AVAILABLE**



## PPR+FRP - THERMOKING

### PN12.5 /SDR11 /S5

CODE	SIZE / DxT	LENGTH (mm)
EA005F	50x4.6mm	15
EA006F	63x5.8mm	7
EA007F	75x6.8mm	5
EA008F	90x8.2mm	5
EA008F	110x10.0mm	3
EA010F	125x11.40mm	3
EA011F	160x14.60mm	1
EA012F	200x18.20mm	1
EA013F	250x22.70mm	1
EA014F	315x28.60mm	1

### PN16 /SDR9 /S4

CODE	SIZE / DxT	LENGTH (mm)
EA103F	32x3.6mm	30
EA104F	40x4.5mm	15
EA105F	50x5.6mm	10
EA106F	63x7.1mm	7
EA107F	75x8.4mm	5
EA109F	90x10.1mm	5
EA109F	110x12.3mm	3
EA110F	125x14mm	2
EA111F	160x17.9mm	1

### PN20 /SDR7.4 /S3.2

CODE	SIZE / DxT	LENGTH (mm)
EA203F	32x4.6mm	30
EA204F	40x5.5mm	15
EA205F	50x6.9mm	10
EA206F	63x8.6mm	7
EA207F	75x10.3mm	5
EA208F	90x12.3mm	5
EA209F	110x15.1mm	3
EA210F	125x18.90mm	2
EA211F	160x21.9mm	1

### PN12.5 /SDR14 /S6.5

CODE	SIZE / DxT	LENGTH (mm)
EA511F	160x11.5mm	1
EA512F	200x11.4mm	1

### PN08 /SDR17.5 /S8.25

CODE	SIZE / DxT	LENGTH (mm)
EA612F	200x11.4mm	1
EA613F	250x14.2mm	1
EA614F	315x18mm	1

Available Colours: GREEN BLUE BLACK WHITE RED



Universal Pushfittings for PPR 20,25 & 32mm

**PLUMtek**  
EASYPUR  
**PE-RT PIPES & PB1**  
UNIVERSAL PUSH FITTINGS AVAILABLE



# PERT PIPES & FITTINGS - CATALOGUE

PERT FITTINGS

PE-RT Pipes & Fittings



PLUMTEK FASTFIT

## PLUMTEK PE-RT PIPES & FITTINGS

PLUMTEK PE-RT Pipe can be supplied in both coil form & Length of Standard 3 Mtr ( any Length )

**PE-RT PIPE COIL**  
PN16/SDR7.4/S 3.2

1	CODE	SIZE	PCS
	PRTC101	20mm	30 Mtr
	PRTC102	25mm	30 Mtr
	PRTC103	32mm	30 Mtr

\*30,50,60 Mtrs Coils Available

**PE-RT PIPE COIL**  
PN20/SDR 6/S2.5

2	CODE	SIZE	PCS
	PRTC201	20mm	30 Mtr
	PRTC202	25mm	30 Mtr
	PRTC203	32mm	30 Mtr

\*30,50,60 Mtrs Coils Available

**PE-RT PIPE**  
PN16/SDR7.4/S 3.2

3	CODE	SIZE	PCS
	PRTL101	20mm	50
	PRTL102	25mm	40
	PRTL103	32mm	30

\*Standard Length 3 Mtrs

**PE-RT PIPE**  
PN20/SDR 6/S2.5

4	CODE	SIZE	PCS
	PRTL201	20mm	75
	PRTL202	25mm	50
	PRTL203	32mm	30

\*Standard Length 3 Mtrs

**SOCKET**

5	CODE	SIZE	PCS
	PBSK001	20mm	100/10
	PBSK002	25mm	80/8
	PBSK003	32mm	60/6

**ELBOW**

6	CODE	SIZE	PCS
	PBEL001	20mm	60/6
	PBEL002	25mm	50/5
	PBEL003	32mm	40/4

**TEE**

7	CODE	SIZE	PCS
	PBTE001	20mm	-
	PBTE002	25mm	-
	PBTE003	32mm	30/3

**TEE MALE THREAD**

8	CODE	SIZE	PCS
	PBTM001	20x1/2"	60/6
	PBTM002	25x1/2"	50/5
	PBTM003	32x1/2"	40/4

**TEE FEMALE THREAD**

9	CODE	SIZE	PCS
	PBTF001	20x1/2"	60/6
	PBTF002	25x1/2"	50/5
	PBTF003	32x1/2"	40/4

**MANIFOLD TEE**

10	CODE	SIZE	PCS
	PBMT001	25x20x25mm	-
	PBMT002	32x20x32mm	-
	PBMT003	32x25x32mm	-

**MALE THREAD ADAPTOR**

11	CODE	SIZE	PCS
	PBAM001	20x1/2"	100/10
	PBAM002	25x3/4"	80/8
	PBAM003	32x1"	60/6

**FEMALE THREAD ADAPTOR**

12	CODE	SIZE	PCS
	PBAF001	20x1/2"	100/10
	PBAF002	25x3/4"	80/8
	PBAF003	32x1"	60/6

**WALL PLATE MALE THREAD ELBOW**

13	CODE	SIZE	PCS
	PBWM001	20x1/2"	72/6
	PBWM002	25x1/2"	50/5

**WALL PLATE FEMALE THREAD ELBOW**

14	CODE	SIZE	PCS
	PBWF001	20x1/2"	72/6
	PBWF002	25x1/2"	50/5

**TEMPLATE - ADJUSTABLE (WALL MIXER ELBOW)**

15	CODE	PCS
	PWMT001	-

Scan QR Code for installation

**WALL PLATE BRASS FEMALE THREAD ELBOW**

16	CODE	SIZE	PCS
	PRSWF001	20x1/2"	150/50
	PRSWF002	25x1/2"	-

**BRASS MALE THREAD ADAPTOR**

17	CODE	SIZE	PCS
	PRSAM001	20x1/2"	250/25
	PRSAM002	25x1/2"	200/20
	PRSAM003	25x3/4"	140/20
	PRSAM004	32x1"	-

**BRASS FEMALE THREAD ADAPTOR**

18	CODE	SIZE	PCS
	PRSAF001	20x1/2"	200/20
	PRSAF002	25x1/2"	150/50

**REDUCER**

19	CODE	SIZE	PCS
	PBRD001	25,20mm	-
	PBRD002	32,25mm	-
	PBRD003	32,20mm	-

**TANK CONNECTOR**

20	CODE	SIZE	PCS
	PBTC001	32x1"	-

**END CAP**

21	CODE	SIZE	PCS
	PBEC001	20mm	-
	PBEC002	25mm	-
	PBEC003	32mm	-

**BYPASS BEND**

22	CODE	SIZE	PCS
	PRTB001	20mm	-
	PRTB002	25mm	-
	PRTB003	32mm	-

**CROSSOVER BEND**

23	CODE	SIZE	PCS
	PBCB001	20mm	-
	PBCB002	25mm	-

**WALL CLAMP**

24	CODE	SIZE	PCS
	PTWC001	20mm	500/50
	PTWC002	25mm	400/40
	PTWC003	32mm	300/30

**LONG PIPE PLUG**

25	CODE	SIZE	PCS
	PRTIP001	1/2"	200/20

**PIPE PLUG**

26	CODE	SIZE	PCS
	PRTIP01	1/2"	300/50

**ENTRY SLEEVE**

27	CODE	SIZE	PCS
	PBES001	20mm	500/50
	PBES002	25mm	400/40
	PBES003	32mm	300/30

PLUMTEK Fastfit Fittings are presently upto 32mm, Soon complete range will be developed.  
\*Prices are Per Metre for Pipe and Per Piece for Fittings

# PERT PIPES & FITTINGS - CATALOGUE

PERT PIPE & FABRICATED FITTINGS

PE-RT Pipes & Fittings



PLUMtek FASTFITE

## SPACER WASHER

28	CODE	SIZE	PCS
	PRTS001	20mm	25
	PRTS002	25mm	25
	PRTS003	32mm	25

## O-RING

29	CODE	SIZE	PCS
	PDMC001	20mm	25
	PDMC002	25mm	25
	PDMC003	32mm	25

## GRAB RING

30	CODE	SIZE	PCS
	PSSG001	20mm	25
	PSSG002	25mm	25
	PSSG003	32mm	25

## PIPE EDGE TRIMMER

31	CODE	SIZE	PCS
	PAL001	20-40mm	10

## PIPE CUTTER

32	CODE	SIZE	PCS
	PPCR001	20-40mm	10
	PPCR002	20-75mm	10

## PE-RT PIPE SERIES

### PN10/SDR11/S5

101	CODE	SIZE	PCS
	PRTL001	20x2.0mm	75
	PRTL002	25x2.3mm	50
	PRTL003	32x2.9mm	30
	PRTL004	40x3.7mm	15
	PRTL005	50x4.6mm	10
	PRTL006	63x5.9mm	7
	PRTL007	75x6.8mm	5
	PRTL008	90x8.2mm	5
	PRTL009	110x10.0mm	3
	PRTL010	125x11.40mm	3
	PRTL011	160x14.90mm	1

### PN16/SDR7.4/S 3.2

102	CODE	SIZE	PCS
	PRTL101	20x2.8mm	75
	PRTL102	25x3.5mm	50
	PRTL103	32x4.4mm	30
	PRTL104	40x5.5mm	15
	PRTL105	50x6.9mm	10
	PRTL106	63x8.6mm	7
	PRTL107	75x10.3mm	5
	PRTL108	90x12.3mm	5
	PRTL109	110x15.1mm	3
	PRTL110	125x18.90mm	3
	PRTL111	160x21.9mm	1

### PN20/SDR 6/S2.5

103	CODE	SIZE	PCS
	PRTL201	20x3.4mm	75
	PRTL202	25x4.2mm	50
	PRTL203	32x5.4mm	30
	PRTL204	40x7mm	15
	PRTL205	50x8.3mm	10
	PRTL206	63x10.5mm	7
	PRTL207	75x12.5mm	5
	PRTL208	90x15.0mm	5
	PRTL209	110x18.3mm	3
	PRTL210	125x20.8mm	3
	PRTL211	160x26.6mm	1

## PE-RT FABRICATED FITTINGS

### PLASTIC UNION

151	CODE	SIZE	PCS
	PRTPU001F	20mm	-
	PRTPU002F	25mm	-
	PRTPU003F	32mm	-

### ELBOW 45°

152	CODE	SIZE	PCS
	PRTEW001F	20mm	-
	PRTEW002F	25mm	-
	PRTEW003F	32mm	-

### MALE THREAD COUPLER

153	CODE	SIZE	PCS
	PRTCM002F	20x3/4"	-
	PRTCM003F	25x1/2"	-
	PRTCM005F	32x1/2"	-
	PRTCM006F	32x3/4"	-

### FEMALE THREAD COUPLER

154	CODE	SIZE	PCS
	PRTCF002F	20x3/4"	-
	PRTCF003F	25x1/2"	-
	PRTCF005F	32x1/2"	-
	PRTCF006F	32x3/4"	-

### FEMALE THREAD TEE

155	CODE	SIZE	PCS
	PRTTF003F	25x3/4"	-
	PRTTF005F	32x3/4"	-
	PRTTF006F	32x1"	-

### MALE THREAD TEE

156	CODE	SIZE	PCS
	PRTTM002F	25x3/4"	-
	PRTTM005F	32x3/4"	-
	PRTTM006F	32x1"	-

### MALE THREAD ELBOW

157	CODE	SIZE	PCS
	PRTM003F	25x3/4"	-
	PRTM005F	32x3/4"	-
	PRTM006F	32x1"	-

### FEMALE THREAD ELBOW

158	CODE	SIZE	PCS
	PRTEF003F	25x3/4"	-
	PRTEF005F	32x3/4"	-
	PRTEF006F	32x1"	-

### STOP VALVE

159	CODE	SIZE	PCS
	PRTSV001F	20mm	-
	PRTSV002F	25mm	-
	PRTSV003F	32mm	-

### CONCEALED STOP VALVE

160	CODE	SIZE	PCS
	PRTCS001F	20mm	-
	PRTCS002F	25mm	-
	PRTCS003F	32mm	-



### MALE THREAD UNION

161	CODE	SIZE	PCS
	PRTUM001F	20x1/2"	-
	PRTUM002F	25x3/4"	-
	PRTUM003F	32x1"	-

### FEMALE THREAD UNION

162	CODE	SIZE	PCS
	PRTUF001F	20x1/2"	-
	PRTUF002F	25x3/4"	-
	PRTUF003F	32x1"	-

### METAL UNION

163	CODE	SIZE	PCS
	PRTUN001F	20x1/2"	-
	PRTUN002F	25x3/4"	-
	PRTUN003F	32x1"	-

\*Prices are Per Metre for Pipe and Per Piece for Fittings



PE-RT Pipes & Fittings

PLUMtek FASTFIT

### PLUMTEK PE-RT SOCKET FUSION FITTINGS

PERT Pipes can be joined by Socket Fusion / Welding method by using PE-RT Socket Fusion Fittings and welding temperature, dies are similar to PPR.

#### COUPLER

201	CODE	SIZE	PCS
	PCR001S	20mm	1600
	PCR002S	25mm	1000
	PCR003S	32mm	560
	PCR004S	40mm	360
	PCR005S	50mm	260
	PCR006S	63mm	160
	PCR007S	75mm	60
	PCR008S	90mm	40
	PCR009S	110mm	24
	PCR010S	125mm	20
	PCR011S	160mm	14



#### EQUAL TEE

202	CODE	SIZE	PCS
	PTE001S	20mm	800
	PTE002S	25mm	480
	PTE003S	32mm	230
	PTE004S	40mm	120
	PTE005S	50mm	70
	PTE006S	63mm	40
	PTE007S	75mm	30
	PTE008S	90mm	18
	PTE009S	110mm	9
	PTE010S	125mm	6
	PTE011S	160mm	4



#### ELBOW 90°

203	CODE	SIZE	PCS
	PEN001S	20mm	1000
	PEN002S	25mm	650
	PEN003S	32mm	300
	PEN004S	40mm	150
	PEN005S	50mm	100
	PEN006S	63mm	60
	PEN007S	75mm	30
	PEN008S	90mm	20
	PEN009S	110mm	12
	PEN010S	125mm	10
	PEN011S	160mm	5



#### ELBOW 45°

204	CODE	SIZE	PCS
	PEF001S	20mm	1500
	PEF002S	25mm	750
	PEF003S	32mm	380
	PEF004S	40mm	300
	PEF005S	50mm	150
	PEF006S	63mm	70
	PEF007S	75mm	40
	PEF008S	90mm	22
	PEF009S	110mm	15
	PEF010S	125mm	10
	PEF011S	160mm	7



#### END CAP

205	CODE	SIZE	PCS
	PEC001S	20mm	2700
	PEC002S	25mm	1900
	PEC003S	32mm	900
	PEC004S	40mm	520
	PEC005S	50mm	250
	PEC006S	63mm	150
	PEC007S	75mm	100
	PEC008S	90mm	60
	PEC009S	110mm	36
	PEC010S	125mm	25
	PEC011S	160mm	20



#### REDUCER ELBOW

206	CODE	SIZE	PCS
	PRE001S	25/20mm	900
	PRE002S	32/20mm	500
	PRE003S	32/25mm	480
	PRE004S	40/32mm	260
	PRE005S	40/25mm	200
	PRE006S	40/20mm	200
	PRE007S	50/40mm	60
	PRE008S	50/32mm	60
	PRE009S	50/25mm	60



#### MALE THREAD COUPLER

207	CODE	SIZE	PCS
	PCM001S	20x1/2"	320
	PCM002S	20x3/4"	200
	PCM003S	25x1/2"	200
	PCM004S	25x3/4"	200
	PCM005S	32x1/2"	200
	PCM006S	32x3/4"	200
	PCM007S	32x1"	150
	PCM008S	40x1-1/4"	60
	PCM009S	50x1-1/2"	50
	PCM010S	63x2"	40
	PCM011S	75x2-1/2"	24
	PCM012S	90x3"	14
	PCM013S	110x4"	8



#### FEMALE THREAD COUPLER

208	CODE	SIZE	PCS
	PCF001S	20x1/2"	320
	PCF002S	20x3/4"	250
	PCF003S	25x1/2"	250
	PCF004S	25x3/4"	250
	PCF005S	32x1/2"	250
	PCF006S	32x3/4"	200
	PCF007S	32x1"	150
	PCF008S	40x1-1/4"	80
	PCF009S	50x1-1/2"	50
	PCF010S	63x2"	40
	PCF011S	75x2-1/2"	24
	PCF012S	90x3"	14
	PCF013S	110x4"	6



#### MALE THREAD ELBOW

209	CODE	SIZE	PCS
	PEM001S	20x1/2"	300
	PEM002S	25x1/2"	240
	PEM003S	25x3/4"	200
	PEM004S	32x1/2"	120
	PEM005S	32x3/4"	120
	PEM006S	32x1"	100



#### FEMALE THREAD ELBOW

210	CODE	SIZE	PCS
	PET001S	20x1/2"	320
	PET002S	25x1/2"	250
	PET003S	25x3/4"	200
	PET004S	32x1/2"	140
	PET005S	32x3/4"	120
	PET006S	32x1"	100
	PET007S	40x1-1/4"	50
	PET008S	50x1-1/2"	30



#### WALL PLATE MALE THREAD ELBOW

211	CODE	SIZE	PCS
	PWM001S	20x1/2"	***
	PWM002S	25x1/2"	***



#### WALL PLATE FEMALE THREAD ELBOW

212	CODE	SIZE	PCS
	PWF001S	20x1/2"	***
	PWF002S	25x1/2"	***



#### TEMPLATE - ADJUSTABLE (WALL MIXER ELBOW)

213	CODE	PCS
	PTE001	***



#### MALE THREAD TEE

214	CODE	SIZE	PCS
	PTM001S	20x1/2"	225
	PTM002S	25x1/2"	160
	PTM003S	25x3/4"	120
	PTM004S	32x1/2"	130
	PTM005S	32x3/4"	100
	PTM006S	32x1"	70



#### FEMALE THREAD TEE

215	CODE	SIZE	PCS
	PTF001S	20x1/2"	250
	PTF002S	25x1/2"	200
	PTF003S	25x3/4"	100
	PTF004S	32x1/2"	120
	PTF005S	32x3/4"	120
	PTF006S	32x1"	80
	PTF007S	40x1-1/4"	40



#### MALE THREAD UNION

216	CODE	SIZE	PCS
	PUM001S	20mm	200
	PUM002S	25mm	200
	PUM003S	32mm	100
	PUM004S	40mm	80
	PUM005S	50mm	50
	PUM006S	63mm	20



#### FEMALE THREAD UNION

217	CODE	SIZE	PCS
	PUF001S	20mm	240
	PUF002S	25mm	240
	PUF003S	32mm	150
	PUF004S	40mm	80
	PUF005S	50mm	60
	PUF006S	63mm	20



#### METAL UNION

218	CODE	SIZE	PCS
	PUN001S	20mm	200
	PUN002S	25mm	150
	PUN003S	32mm	100
	PUN004S	40mm	80
	PUN005S	50mm	50
	PUN006S	63mm	20



#### PLASTIC UNION

219	CODE	SIZE	PCS
	PUP001S	20mm	600
	PUP002S	25mm	300
	PUP003S	32mm	250
	PUP004S	40mm	150
	PUP005S	50mm	70
	PUP006S	63mm	40



### PE-RT Pipes & Fittings



#### FLANGE

220	CODE	SIZE	PCS
	PFL001S	32mm	100
	PFL002S	40mm	75
	PFL003S	50mm	60
	PFL004S	63mm	60
	PFL005S	75mm	45
	PFL006S	90mm	40
	PFL007S	110mm	36
	PFL008S	125mm	20
	PFL009S	160mm	15



#### FLANGE CORE

221	CODE	SIZE	PCS
	PFC001S	32mm	500
	PFC002S	40mm	350
	PFC003S	50mm	300
	PFC004S	63mm	200
	PFC005S	75mm	120
	PFC006S	90mm	80
	PFC007S	110mm	50
	PFC008S	125mm	25
	PFC009S	160mm	22



#### FOUR WAY TEE/CROSS

224	CODE	SIZE	PCS
	PFT001S	20mm	40
	PFT002S	25mm	50
	PFT003S	32mm	180
	PFT004S	40mm	90



#### WELD SADDLE (PLAIN)

225	CODE	SIZE	PCS
	PWP001S	40x20 mm	520
	PWP002S	50x20 mm	520
	PWP003S	63x32 mm	520
	PWP004S	63x25 mm	520
	PWP005S	75x32 mm	520
	PWP006S	75x25 mm	520
	PWP007S	90x32 mm	520
	PWP008S	90x25 mm	520
	PWP009S	110x32 mm	520
	PWP010S	110x25 mm	520
	PWP011S	125x32 mm	520
	PWP012S	125x40 mm	520
	PWP013S	160x25 mm	520
	PWP014S	160x32 mm	520
	PWP015S	160x40 mm	250
	PWP016S	160x50 mm	100
	PWP017S	160x30 mm	120
	PWP018S	160x25 mm	-



#### BYE - PASS BEND

230	CODE	SIZE	PCS
	PBB001S	20mm	300
	PBB002S	25mm	180
	PBB003S	32mm	80



#### PIPE PLUG

233	CODE	SIZE	PCS
	PPP001S	1/2"	3000
	PPP002S	3/4"	2000
	PPP003S	1"	1000



#### WELDING MACHINE (India)

236	CODE	SIZE	PCS
	PWM112SI	20-40mm	5
	PWM113SI	20-63mm	-
	PWM114SI	75-110mm	4



#### REDUCER

222	CODE	SIZE	PCS
	PRR001S	25/20mm	1200
	PRR002S	32/20mm	720
	PRR003S	32/25mm	660
	PRR004S	40/20mm	800
	PRR005S	40/25mm	560
	PRR006S	40/32mm	360
	PRR007S	50/20mm	300
	PRR008S	50/25mm	300
	PRR009S	50/32mm	300
	PRR010S	50/40mm	200
	PRR011S	63/32mm	150
	PRR012S	63/40mm	120
	PRR013S	63/50mm	100
	PRR014S	75/40mm	90
	PRR015S	75/50mm	70
	PRR016S	75/63mm	60
	PRR017S	90/50mm	60
	PRR018S	90/63mm	50
	PRR019S	90/75mm	40
	PRR020S	110/63mm	39
	PRR021S	110/75mm	39
	PRR022S	110/90mm	39
	PRR023S	125/110mm	30
	PRR024S	160/90mm	20
	PRR025S	100/110mm	20
	PRR026S	100/125mm	20



#### WELD SADDLE (FEMALE THREAD)

226	CODE	SIZE	PCS
	PWF001S	40x1/2"	225
	PWF002S	50x1/2"	225
	PWF003S	63x1/2"	225
	PWF004S	63x3/4"	225
	PWF005S	75x1/2"	225
	PWF006S	75x3/4"	225
	PWF007S	90x1/2"	225
	PWF008S	90x3/4"	225
	PWF009S	110x1/2"	225
	PWF010S	110x3/4"	225
	PWF011S	125x1/2"	225
	PWF012S	125x3/4"	225
	PWF013S	160x1/2"	225
	PWF014S	160x3/4"	225



#### CONCEALED STOP VALVE

228	CODE	SIZE	PCS
	PCS001S	20mm	70
	PCS002S	25mm	70
	PCS003S	32mm	60



#### CROSS OVER BEND

231	CODE	SIZE	PCS
	PCB001S	20mm	-
	PCB002S	25mm	-



#### TANK NIPPLE

234	CODE	SIZE	PCS
	PTN001S	32mm/1"	500
	PTN002S	40mm/1-1/4"	300
	PTN003S	50mm/1-1/2"	200
	PTN004S	63mm/2"	100



#### PIPE CUTTER (Imported)

237	CODE	SIZE	PCS
	PPC006S	20-40mm	900
	PPC007S	20-63mm	600



#### REDUCER TEE

223	CODE	SIZE	PCS
	PTR001S	25/20/25mm	540
	PTR002S	32/20/32mm	280
	PTR003S	32/25/32mm	250
	PTR004S	40/20/40mm	200
	PTR005S	40/25/40mm	150
	PTR006S	40/32/40mm	130
	PTR007S	50/20/50mm	120
	PTR008S	50/25/50mm	100
	PTR009S	50/32/50mm	80
	PTR010S	50/40/50mm	80
	PTR011S	63/25/63mm	72
	PTR012S	63/32/63mm	72
	PTR013S	63/40/63mm	72
	PTR014S	63/50/63mm	52
	PTR015S	75/25/75mm	40
	PTR016S	75/32/75mm	40
	PTR017S	75/40/75mm	40
	PTR018S	75/50/75mm	32
	PTR019S	75/63/75mm	32
	PTR020S	90/32/90mm	24
	PTR021S	90/40/90mm	24
	PTR022S	90/50/90mm	24
	PTR023S	90/63/90mm	16
	PTR024S	90/75/90mm	16
	PTR025S	110/32/110mm	14
	PTR026S	110/40/110mm	14
	PTR027S	110/50/110mm	14
	PTR028S	110/63/110mm	12
	PTR029S	110/75/110mm	12
	PTR030S	110/90/110mm	12
	PTR031S	125/63/125mm	12
	PTR032S	125/75/125mm	12
	PTR033S	125/90/125mm	12
	PTR034S	125/110/125mm	12
	PTR035S	160/63/160mm	5
	PTR036S	160/75/160mm	5
	PTR037S	160/90/160mm	5
	PTR038S	160/110/160mm	5



#### STOP VALVE

227	CODE	SIZE	PCS
	PSV001S	20mm	120
	PSV002S	25mm	80
	PSV003S	32mm	60
	PSV004S	40mm	40
	PSV005S	50mm	50
	PSV006S	63mm	20



#### CLAMP

229	CODE	SIZE	PCS
	PCL001S	20mm	2200
	PCL002S	25mm	1800
	PCL003S	32mm	1100
	PCL004S	40mm	700
	PCL005S	50mm	600
	PCL006S	63mm	500



#### LONG PIPE PLUG

232	CODE	SIZE	PCS
	PLP001S	1/2"	900
	PLP002S	3/4"	600



#### WELDING MACHINE (Imported)

235	CODE	SIZE	PCS
	PWM112S	20-63mm	-
	PWM113S	75-110mm	-
	PWM114S	160mm	-
WELDING DIE ONLY			
	PWM106S	125mm	-



#### REPAIR SET

238	CODE	SIZE
	PRS001S	9mm
	PRS002S	11mm



\*Prices are Per Metre for Pipe and Per Piece for Fittings

# MDPE PIPES & FITTINGS - CATALOGUE



EUROAQUA  
**PLUMtek**

ELEGANT & ECONOMIC

TAPS | FAUCETS | HOSES | PIPES & FITTINGS

25 YEARS  
SINCE 1997  
WATER CONSERVATION

## MDPE PIPES AND HDPE FITTING

Imported Raw Materials

( For MDPE | HDPE | PP | PVC PIPES )



tension  
**FREE**  
valves

JAL JEEVAN MISSION INDIA



**BONDING BEYOND BOUNDARIES**



YouTube  
TAMIL



YouTube  
HINDI



Manufactured by  
**EUROAQUA PLUMTEK PVT LTD**

An ISO 9001 : 2015-Certified Company

Edappadi Main Road, Kuppanoor - Post, Sankagiri - 637 301, Salem Dist, Tamil Nadu, India.

+91 4283 242936/37 +91 99650 05555, 73730 73333 support@euroaquapr.com

www.plumtek.in, www.euroaquapr.com, www.abstaps.com

# MDPE PIPES & FITTINGS - CATALOGUE

## MDPE PIPE

1



### PN 12.5 SDR 11

Size	MRP
20mm	

### PN 16 SDR 9

Size	MRP
20mm	

ISO 4427

## MDPE GANGAFFLEX PIPE

1R



### PN 12.5 SDR 11

Size	MRP
20mm	

### PN 16 SDR 9

Size	MRP
20mm	

ISO 4427

## UPVC BALL VALVE

2



Size (mm)	MRP	PCS / CTN
20x1/2"		90

ISO 4422-2

## COUPLER DOUBLE COMPRESSION

3



Size (mm)	MRP	PCS / CTN
20x1/2"		120

ISO 14236

## ELBOW DOUBLE COMPRESSION

4



Size (mm)	MRP	PCS / CTN
20x1/2"		120

ISO 14236

## TEE TRIPLE COMPRESSION

5



Size (mm)	MRP	PCS / CTN
20x1/2"		70

ISO 14236

## END CAP

6



Size (mm)	MRP	PCS / CTN
20x1/2"		240

ISO 14236

## ENTRY SLEEVE

7



### PN16

Size	MRP	PCS / CTN
20mm		50 Pouch

## MALE ADAPTOR

8



ISO 14236

	Size (mm)	MRP	PCS / CTN
Plastic Thread	20x1/2"		160
Brass Thread	20x1/2"		160
SSC Thread	20x1/2"		160

## FEMALE ADAPTOR

9



ISO 14236

	Size (mm)	MRP	PCS / CTN
Plastic Thread	20x1/2"		160
Brass Thread	20x1/2"		160
SSC Thread	20x1/2"		160

## MALE ELBOW

10



ISO 14236

	Size (mm)	MRP	PCS / CTN
Plastic Thread	20x1/2"		140
Brass Thread	20x1/2"		140
SSC Thread	20x1/2"		140

## FEMALE ELBOW

11



ISO 14236

	Size (mm)	MRP	PCS / CTN
Plastic Thread	20x1/2"		140
Brass Thread	20x1/2"		140
SSC Thread	20x1/2"		140

## CLAMP SADDLE Ø 63MM (HEAVY BLACK)

12



ISO 14236

	Size (mm)	MRP	PCS / CTN
Plastic Thread	63x1/2"		50
	63x3/4"		
Brass Thread	63x1/2"		50
SSC Thread	63x1/2"		50

## CLAMP SADDLE Ø 75MM (HEAVY BLACK)

13



ISO 14236

	Size (mm)	MRP	PCS / CTN
Plastic Thread	75x1/2"		40
	75x3/4"		
Brass Thread	75x1/2"		40
SSC Thread	75x1/2"		40

## CLAMP SADDLE Ø 90MM (HEAVY BLACK)

14



ISO 14236

	Size (mm)	MRP	PCS / CTN
Plastic Thread	90x1/2"		40
	90x3/4"		
Brass Thread	90x1/2"		40
SSC Thread	90x1/2"		40

## CLAMP SADDLE Ø 110MM (HEAVY BLACK)

15



	Size (mm)	MRP	PCS / CTN
Plastic Thread	110x1/2"		25
	110x3/4"		
Brass Thread	110x1/2"		25
SSC Thread	110x1/2"		25

## FLOW CONTROL VALVE

16



### SS304-5-10 LPM

Size (inch)	MRP
1/2" Male	

## BRASS FERRULE

17



Size (inch)	MRP
1/2"	
3/4"	

## BRASS TAP

18



Size (inch)	MRP
1/2"	

## PIPE CUTTER

19



Size	MRP
20-40 mm	

- Plastic Thread Dark Blue
- Brass Thread Baby Blue
- SSC Thread Special Pipe Blue

### TERMS & CONDITIONS

1. Price are Per Piece only
2. GST extra
3. Prices are subject to change without Prior Notice,
4. Prevailing Rates will be Charged at the Time of despatch
5. All Previous Price List get Cancelled
6. All Payments to be made by way of NEFT/RTGS only
7. No Cash transaction is Allowed
8. All transactions are subject to Sankagiri Jurisdiction only



The Leading Manufacturers and Exporters of Complete Range of PPR Pipes & Fittings

# ALL PRODUCTS - CATALOGUE

**25** YEARS  
SINCE 1992  
KING OF PIPES

**EUROAQUA PLUMtek**  
ELEGANT & ECONOMIC  
TAPS | FAUCETS | HOSES | PIPES & FITTINGS



Bib Tap - Vibrant



Right Angle Valve - Vibrant



Pillar Tap - Manolisa



Sink Faucet Mini - Flemingo



Garden Tap - M Handle



2 Way Bib Tap - M Handle



Sink Faucet Wall - M Handle



Eco 5A Mini - M Handle



Calt Bib Tap U-Handle



Calt 90° Double Angle Valve T-Handle



Calt Garden Tap C-Handle



Right Angle Valve L-Handle



Over Head Shower



Health Faucet



Collapsible Waste Hose



Ball Valve



Bathroom Cabinet With Mirror




Flush Tank




Seat Cover

SCAN QR CODE FOR ALL RANGES OF OUR PRODUCTS




Delivery Hose



Heavy Duty Suction Hose




Suction & Delivery Hose



Braided Hose



Transparent Garden Hose



Welding Hose



Pneumatic Hose



Level Tube



Steel Wire Hose



Yellow Black Hose



Duct Hose



Corrugated Hose



Flower Pot




Sharnield

One of the Leading Manufacturer and Exporter of PPR Pipes & Fittings

# ALL PRODUCTS - CATALOGUE

## MDPE PIPES & FITTINGS



SCAN QR CODE FOR ALL RANGES OF OUR PRODUCTS



**PLUMtek FASTFIT**  
**FOOD GRADE**  
**PERT PIPES & FITTINGS**  
Time In India  
**P81 UNIVERSAL PUSH FITTINGS**  
P81, P82, P81, P81D

Operating Temperature : -30° c to 95° c

Available Size : Ø 20,25,32 mm | Ø 20 mm - Ø 160 mm  
(FASTFIT) (socket welding)

**EUROAQUA**  
PPR & PPR-CT PLUMBING TECHNOLOGY  
**FOOD GRADE**  
**PPR & PPR-CT PIPES & FITTINGS**  
**100%**  
Lifetime Leakfree Technology



Operating Temperature : -5° c to 95° c

Available Size : Ø 20 mm to Ø 315 mm



Scan for All Catalogues



Manufactured By  
**EUROAQUA PLUMTEK PVT LTD**

An ISO 9001 : 2015 Certified Company



Scan for Youtube

Edappadi Main Road, Kuppanoor (P.O), Sankagiri - 637 301, Salem - (D.t), Tamilnadu, India.

Customer Care : +91 4283 242936/37 | +91 99650 05555, 73730 73333 | support@euroaquappr.com

www.euroaquappr.com | www.plumtek.in | Euroaqua Plumtek

# TEST CERTIFICATES

CIPET CERTIFICATE - PPR

PN 10, SDR 11



## सेन्ट्रल इनस्टीट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नॉलाजी

(रसायन एवं उर्वरक मंत्रालय, भारत सरकार)

एच.सी.एल. पोस्ट, आई.डी.ए., फेज - II, चेरलापल्ली, हैदराबाद - ५०० ०५१.

### CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY

(Ministry of Chemicals & Fertilizers, Govt. Of India)

HCL Post, IDA - Phase - II, Cherlapally, Hyderabad - 500 051.

Phone : 27263750, 27263615, Fax : 91-40-27264051

E-mail: cipetherderabad@yahoo.co.in, Web: www.cipet.gov.in

### Plastics Testing Centre

No.: 0121090

### Test Certificate

Issued to: M/s.Sakkthi Polymers,  
Edappadi Main Road,  
Kuppanoor (Po),  
Sankari - 637 301  
Salem Dt. Tamilnadu.

Page 1 of 3  
Date : 29.08.2013

Ref : Your email dt.17.01.2013

TEST REPORT AS PER : IS: 15801-2008

REPORT NO: 130441/1

#### PART A : PARTICULARS OF SAMPLE SUBMITTED

- a) Name of the Sample : Polypropylene Random Pipes (PPR Pipes)
- b) Grade/Variety/Type/Size/Class : 32 mm, PN 10, SDR 11
- c) Declared values, if any : Nil
- d) Code No. : Nil
- e) Batch No. and Date of Manufacture : Nil
- f) Quantity : 4 nos.
- g) Mode of Packing : HDPE Bag
- h) Seal : Nil
- i) Any other information : Samples received on 09.11.2012

#### PART B : SUPPLEMENTARY INFORMATION

- a) Reference to sampling Procedure : Nil
- b) Supporting documents for the measurement taken and result derived : Nil
- c) Deviation from the test method as prescribed in relevant work instructions, if any : Nil

# TEST CERTIFICATES

CIPET CERTIFICATE - PPR  
PN 10, SDR 11



सेन्ट्रल इनस्टीट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नॉलाजी

चेरलापल्ली, हैदराबाद - ५०० ०५१.

**CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY**

Cherlapally, Hyderabad - 500 051.

0121090

Test Certificate

No.:

REPORT No. 130441/1

Continuation Page 2 of 3

PART - C

TEST RESULTS

(As per IS: 15801-2008)

Sample : PPR Pipe-32 mm , PN 10, SDR 11

S. No	CLNo	Test	Test Method	Specified Requirements	Results Obtained
1.	7.1 (table-1)	Dimension of Pipe	IS:15801-2008		
		Outside Diameter (mm)		32.0	32.18
		Tolerance (mm)		0.3	0.18
		Ovality (mm)		1.3	0.92
2.	7.2 (table-2)	Wall Thickness of Pipe (mm)		Min:2.90 Max:3.40	2.96 3.22
3.	8.0	Visual appearance		The internal and external surface of pipes shall smooth, clean and free from grooving and other defects. Ends shall be cleanly cut and square with axis of pipe	Satisfactory
4.	9.1	Hydraulic Characteristics (Internal Creep Rupture Test)			
		(A) Type Test (at 3.8 MPa induced stress for 165 hrs at 95°C)	IS:12235 (Pt.8) Sec 1	Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
		(B) Type test (at 3.5 MPa induced stress for 1000 hrs at 95°C)		Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
		(A) Acceptance test (at 16 MPa induced stress for 1 hr at 20°C)		Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
		(B) Acceptance test (at 4.3 MPa induced stress for 22 hrs at 95°C)		Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed



# TEST CERTIFICATES

CIPET CERTIFICATE - PPR

PN 10, SDR 11



सेन्ट्रल इनस्टीट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नॉलाजी

चेरलापल्ली, हैदराबाद - ५०० ०५१.

**CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY**

Cherlapally, Hyderabad - 500 051.

## Test Certificate

No.: 0121090

Continuation Sheet

REPORT No. 130441/1

Page 3 of 3

PART - C

### TEST RESULTS

(As per IS: 15801-2008)

Sample : PPR Pipe-32 mm , PN 10, SDR 11

S. No	CLNo	Test	Test Method	Specified Requirements	Results Obtained
5.	9.2	Fusion Compatibility (a) Type Test (at 4.3 MPa hydrostatic stress for 165 hrs at 95°C)	IS:12235 (Pt.8),Sec 1	Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
6.	9.3	Reversion test (%)	IS:12235 (Pt.8),Sec 1	Shall not be greater than 2%	1.18
7.	9.4	Impact Strength (Charpy Impact Test) 15J Velocity 3.8 m/s	IS:13360 (Pt.5), Sec 5	Number of failure shall not exceed 10% of the specimen tested	Confirmed 0%
8.	9.5	Density of Pipe (at 27°C) (Kg/m <sup>3</sup> )	IS:12235, Pt.14	900 to 910.0 (except black pipe) 900 to 925 (for black pipe)	902.7
9.	9.6	MFI (gms/10 min) (at 230°C/2.16 kgf load)	IS:13360, Pt.(4),Sec-01	Shall be ≤ 0.5 from a composite sample	0.18
10.	9.9	Opacity	IS:12235 (pt.3)	Shall not transmit more than 0.2% of visible light	Confirmed 0.00%

PART D: REMARKS: Nil

NB: 1. The results related only to items/samples tested.

2. The report shall not be reproduced in full/part without written approval of the laboratory.

QUALITY MANAGER  
AUTHORISED GNATORY

# TEST CERTIFICATES

CIPET CERTIFICATE - PPR

PN 16, SDR 7.4



## सेन्ट्रल इनस्टीट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नॉलाजी (रसायन एवं उर्वरक मंत्रालय, भारत सरकार)

एच.सी.एल. पोस्ट, आई.डी.ए., फेस - II, चेरलापल्ली, हैदराबाद - ५०० ०५१.

### CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY

(Ministry of Chemicals & Fertilizers, Govt. Of India)

HCL Post, IDA - Phase - II, Cherlapally, Hyderabad - 500 051.

Phone : 27263750, 27263615, Fax : 91-40-27264051

E-mail: cipetherabad@yahoo.co.in, Web: www.cipet.gov.in

### Plastics Testing Centre

No.: **0121091**

### Test Certificate

Page 1 of 3

Date : 29.08.2013

Issued to: M/s.Sakthi Polymers,  
Edappadi Main Road,  
Kuppanoor (Po),  
Sankari - 637 301  
Salem Dt. Tamilnadu.

Ref : Your email dt.17.01.2013

TEST REPORT AS PER : IS: 15801-2008

REPORT NO: 130441/2

#### PART A : PARTICULARS OF SAMPLE SUBMITTED

- a) Name of the Sample : Polypropylene Random Pipes (PPR Pipes)
- b) Grade/Variety/Type/Size/Class : 32 mm, PN 16, SDR 7.4
- c) Declared values, if any : Nil
- d) Code No. : Nil
- e) Batch No. and Date of Manufacture : Nil
- f) Quantity : 4 nos.
- g) Mode of Packing : HDPE Bag
- h) Seal : Nil
- i) Any other information : Samples received on 09.11.2012

#### PART B : SUPPLEMENTARY INFORMATION

- a) Reference to sampling Procedure : Nil
- b) Supporting documents for the measurement taken and result derived : Nil
- c) Deviation from the test method as prescribed in relevant work instructions, if any : Nil

# TEST CERTIFICATES

CIPET CERTIFICATE - PPR

PN 16, SDR 7.4



सेन्ट्रल इनस्टीट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नॉलाजी

चेरलापल्ली, हैदराबाद - ५०० ०५१.

**CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY**

Cherlapally, Hyderabad - 500 051.

## Test Certificate

No.: **0121091**

Continuation Sheet

REPORT No. 130441/2

Page 2 of 3

PART - C

### TEST RESULTS

(As per IS: 15801-2008 )

Sample : PPR Pipe-32 mm , PN 16, SDR 7.4

S. No	CLNo	Test	Test Method	Specified Requirements	Results Obtained
1.	7.1 (table-1)	Dimension of Pipe	IS:15801-2008		
		Outside Diameter (mm)		32.0	32.08
		Tolerance (mm)		0.3	0.08
		Ovality (mm)		1.3	0.36
2.	7.2 (table-2)	Wall Thickness of Pipe (mm)		Min:4.40 Max:5.10	4.48 4.90
3.	8.0	Visual appearance		The internal and external surface of pipes shall smooth, clean and free from grooving and other defects. Ends shall be cleanly cut and square with axis of pipe	Satisfactory
4.	9.1	Hydraulic Characteristics (Internal Creep Rupture Test)			
		(A) Type Test (at 3.8 MPa induced stress for 165 hrs at 95°C)	IS:12235 (Pt.8) Sec 1	Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
		(B) Type test (at 3.5 MPa induced stress for 1000 hrs at 95°C)		Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
		(A) Acceptance test (at 16 MPa induced stress for 1 hr at 20°C)		Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
		(B) Acceptance test (at 4.3 MPa induced stress for 22 hrs at 95°C)		Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed

# TEST CERTIFICATES

CIPET CERTIFICATE - PPR

PN 16, SDR 7.4



सेन्ट्रल इनस्टीट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नॉलाजी

चेरलापल्ली, हैदराबाद - ५०० ०५१.

**CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY**

Cherlapally, Hyderabad - 500 051.

## Test Certificate

No.: 0121091

No.:

Continuation Sheet

REPORT No. 130441/2

Page 3 of 3

PART - C

TEST RESULTS

(As per IS: 15801-2008 )

Sample : PPR Pipe-32 mm , PN 16, SDR 7.4

S. No	CLNo	Test	Test Method	Specified Requirements	Results Obtained
5.	9.2	Fusion Compatibility (a) Type Test (at 4.3 MPa hydrostatic stress for 165 hrs at 95°C)	IS:12235 (Pt.8),Sec 1	Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
6.	9.3	Reversion test (%)	IS:12235 (Pt.8),Sec 1	Shall not be greater than 2%	1.04
7.	9.4	Impact Strength (Charpy Impact Test) 15J Velocity 3.8 m/s	IS:13360 (Pt.5), Sec 5	Number of failure shall not exceed 10% of the specimen tested	Confirmed 0%
8.	9.5	Density of Pipe (at 27°C) (Kg/m <sup>3</sup> )	IS:12235, Pt.14	900 to 910.0 (except black pipe) 900 to 925 (for black pipe)	902.9
9.	9.6	MFI (gms/10 min) (at 230°C/2.16 kgf load)	IS:13360, Pt.(4),Sec-01	Shall be ≤ 0.5 from a composite sample	0.28
10.	9.9	Opacity	IS:12235 (pt.3)	Shall not transmit more than 0.2% of visible light	Confirmed 0.00%

PART D: REMARKS: Nil

NB: 1. The results related only to items/samples tested.

2. The report shall not be reproduced in full/part without written approval of the laboratory.

QUALITY MANAGER  
AUTHORISED GNATORY

# TEST CERTIFICATES

CIPET CERTIFICATE - PPR  
PN 20, SDR 6



## सेन्ट्रल इनस्टीट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नॉलाजी

(रसायन एवं उर्वरक मंत्रालय, भारत सरकार)

एच.सी.एल. पोस्ट, आई.डी.ए., फेज - II, चेरलापल्ली, हैदराबाद - ५०० ०५१.

### CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY

(Ministry of Chemicals & Fertilizers, Govt. Of India)

HCL Post, IDA - Phase - II, Cherlapally, Hyderabad - 500 051.

Phone : 27263750, 27263615, Fax : 91-40-27264051

E-mail:cipetHyderabad@yahoo.co.in, Web:www.cipet.gov.in

#### Plastics Testing Centre

No.: **0121092**

#### Test Certificate

Page 1 of 3

Date : 29.08.2013

Issued to: **M/s.Sakkthi Polymers,**  
**Edappadi Main Road,**  
**Kuppanoor (Po),**  
**Sankari - 637 301**  
**Salem Dt. Tamilnadu.**

Ref : Your email dt.17.01.2013

TEST REPORT AS PER : IS: 15801-2008

REPORT NO: 130441/3

#### PART A : PARTICULARS OF SAMPLE SUBMITTED

- a) Name of the Sample : Polypropylene Random Pipes (PPR Pipes)
- b) Grade/Variety/Type/Size/Class : 32 mm, PN 20, SDR 6
- c) Declared values, if any : Nil
- d) Code No. : Nil
- e) Batch No. and Date of Manufacture : Nil
- f) Quantity : 4 nos.
- g) Mode of Packing : HDPE Bag
- h) Seal : Nil
- i) Any other information : Samples received on 09.11.2012

#### PART B : SUPPLEMENTARY INFORMATION

- a) Reference to sampling Procedure : Nil
- b) Supporting documents for the measurement taken and result derived : Nil
- c) Deviation from the test method as prescribed in relevant work instructions, if any : Nil

# TEST CERTIFICATES

CIPET CERTIFICATE - PPR

PN 20, SDR 6



सेन्ट्रल इन्स्टीट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नॉलाजी

चेरलापल्ली, हैदराबाद - ५०० ०५१.

**CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY**

Cherlapally, Hyderabad - 500 051.

## Test Certificate

No.: 0121092

Continuation Sheet

REPORT No. 130441/3

Page 2 of 3

PART - C

TEST RESULTS

(As per IS: 15801-2008 )

Sample : PPR Pipe-32 mm , PN 20, SDR 6

S. No	CLNo	Test	Test Method	Specified Requirements	Results Obtained
1.	7.1 (table-1)	Dimension of Pipe	IS:15801-2008		
		Outside Diameter (mm)		32.0	32.06
		Tolerance (mm)		0.3	0.06
		Ovality (mm)		1.3	0.84
2.	7.2 (table-2)	Wall Thickness of Pipe (mm)		Min:5.40 Max:6.20	5.80 6.00
3.	8.0	Visual appearance		The internal and external surface of pipes shall smooth, clean and free from grooving and other defects. Ends shall be cleanly cut and square with axis of pipe	Satisfactory
4.	9.1	Hydraulic Characteristics (Internal Creep Rupture Test)			
		(A) Type Test (at 3.8 MPa induced stress for 165 hrs at 95°C)	IS:12235 (Pl.8) Sec 1	Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
		(B) Type test (at 3.5 MPa induced stress for 1000 hrs at 95°C)		Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
		(A) Acceptance test (at 16 MPa induced stress for 1 hr at 20°C)		Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
		(B) Acceptance test (at 4.3 MPa induced stress for 22 hrs at 95°C)		Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed

# TEST CERTIFICATES

CIPET CERTIFICATE - PPR  
PN 20, SDR 6



सेन्ट्रल इनस्टीट्यूट ऑफ प्लास्टिक्स इंजीनियरिंग एण्ड टेक्नॉलाजी

चेरलापल्ली, हैदराबाद - ५०० ०५१.

**CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY**

Cherlapally, Hyderabad - 500 051.

0121092

## Test Certificate

No.: REPORT No. 130441/3

Continuation Sheet  
Page 3 of 3

PART - C

### TEST RESULTS

(As per IS: 15801-2008 )

Sample : PPR Pipe-32 mm , PN 20, SDR 6

S. No	CLNo	Test	Test Method	Specified Requirements	Results Obtained
5.	9.2	Fusion Compatibility (a)Type Test (at 4.3 MPa hydrostatic stress for 165 hrs at 95°C)	IS:12235 (Pt.8),Sec 1	Pipes under test shall show no sign of localized swelling leakage or weeping & shall not burst during the prescribed tests duration	Confirmed
6.	9.3	Reversion test (%)	IS:12235 (Pt.8),Sec 1	Shall not be greater than 2%	1.31
7.	9.4	Impact Strength (Charpy Impact Test) 15J Velocity 3.8 m/s	IS:13360 (Pt.5), Sec 5	Number of failure shall not exceed 10% of the specimen tested	Confirmed 0%
8.	9.5	Density of Pipe (at 27°C) (Kg/m <sup>3</sup> )	IS:12235, Pt.14	900 to 910.0 (except black pipe) 900 to 925 (for black pipe)	901.2
9.	9.6	MF1 (gms/10 min) (at 230°C/2.16 kgf load)	IS:13360, Pt.(4),Sec-01	Shall be ≤ 0.5 from a composite sample	0.21
10.	9.9	Opacity	IS:12235 (pt.3)	Shall not transmit more than 0.2% of visible light	Confirmed 0.00%

PART D: REMARKS: Nil

NB: 1. The results related only to items/samples tested.

2. The report shall not be reproduced in full/part without written approval of the laboratory.

QUALITY MANAGER  
AUTHORISED GNATORY



Unit 30 | Fern Close | Pen-Y-Fan Ind Est | Oakdale | Gwent | NP11 3EH | UK  
Tel: +44 (0) 1495 236260 wales@nsf.org | www.nsf.org

# TEST REPORT

### Customer: C0718392

Euroaqua Plumtek Private Limited  
199/2A Edappadi Main Road,  
Kuppanoor (P.O.), Sankari  
Salem, TA 637301  
India

<b>Result</b>	This product has satisfied the criteria set out in BS 6920: Part 1: 2014 "Specification" and thus is suitable for use with hot (up to 85°C) and cold water.
Customer Name	Euroaqua Plumtek Private Limited
Product	Euroaqua Pipe (PPR)
Test Undertaken	BS 6920: 2014 - Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water
Job Number	J-00437618
Work Order Number	W0788616

### Thank you for having your product tested by NSF Wales Ltd.

Please contact your Account Manager if you have any questions or concerns pertaining to this report.

**Report Date** 15-DEC-2022

**Report Authorisation**   
Angelo Iannetelli - Specialist II Labs Wales



### Result Summary Section

Test	Result
Odour and flavour of water BS 6920: Part 1: 2014, Clause 4 - 23°C	Pass
Odour and flavour of water BS 6920: Part 1: 2014, Clause 4 - 85°C	Pass
Appearance of Water BS 6920: Part 1: 2014, Clause 5	Pass
Growth of Microorganisms BS 6920: Part 1: 2014, Clause 6	Pass
Extraction of substances that may be of concern to public health BS 6920: Part 1: 2014, Clause 7 - 23°C	Pass
Extraction of substances that may be of concern to public health BS 6920: Part 1: 2014, Clause 7 - 85°C	Pass
Extraction of Metals BS 6920: Part 1: 2014, Clause 8 - 85°C	Pass

FI20221215052114

J-00437618

This report is issued in accordance with the laboratory accreditation requirements of the United Kingdom Accreditation Service. It provides traceability of measurement to the SI system of units and/or to units of measurement realised at the National Physical Laboratory or other recognised national metrology institutes. This report shall not be reproduced, except in its entirety, without the written approval of NSF Wales Ltd. This report does not represent NSF Certification or authorisation to use the NSF Mark. Authorisation to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.



## PPR WRAS TEST REPORT

Approval Number 2212543  
Test Report: J-00437618



19<sup>th</sup> January 2023

Euroaqua Plumtek Private Limited  
199/2A Edappadi Main Road,  
Kuppanoor (P.O.), Sankari  
Salem, TA 637301  
India

Water Regulations Approval Scheme Ltd.  
Unit 13,  
Willow Road,  
Pen y Fan Industrial Estate,  
Crumlin,  
Gwent,  
NP11 4EG

### **WATER REGULATIONS APPROVAL SCHEME LTD. (WRAS) MATERIAL APPROVAL**

The material referred to in this letter is suitable for contact with wholesome water for domestic purposes having met the requirements of BS6920-1:2000 and/or 2014 'Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water'.

The reference relates solely to its effect on the quality of the water with which it may come into contact and does not signify the approval of its mechanical or physical properties for any use.

#### **POLYPROPYLENE- COMPONENTS.**

**5260**

'Euroaqua Pipe & Airguard Pipe'. Green coloured, extruded PPR pipe. For use with water up to 85°C.

**APPROVAL NUMBER: 2212543**  
**APPROVAL HOLDER: EUROAQUA PLUMTEK PRIVATE LIMITED**

The Scheme reserves the right to review approval.  
Approval 2212543 is valid between December 2022 and December 2027

An entry, as above, will accordingly be included in the Water Fittings Directory on-line under the section headed, "Materials which have passed full tests of effect on water quality".

The Directory may be found at: [www.wrasapprovals.co.uk/approvals-directory/](http://www.wrasapprovals.co.uk/approvals-directory/)

Yours Faithfully

A handwritten signature in blue ink, appearing to read 'Ian Hughes', is written over a horizontal line.

**Ian Hughes**  
**WRAS Approvals Manager**

# TEST CERTIFICATES

## PPR - FOOD GRADE CERTIFICATE

Phone : 0821-2514972



ई-मेल : E-mail : csc@cftri.res.in  
 बिसिआर - केन्द्रीय अकार आणुतिक संशोधनसालय, म्यूसोरु - 570 020  
 सी एस आई आर - केन्द्रीय खाद्य प्रौद्योगिक अनुसंधान संस्थान, मैसरु - 570 020  
 CSIR-Central Food Technological Research Institute



### TEST REPORT

ULR T C 1 0 9 2 4 2 2 0 0 0 0 0 2 3 8 F

0 3 0 2 2 3

Name & Address of the Customer	M/s. Euroaqua Plumtek Pvt Ltd. 199 2A, Edappadi Main Road, Kuppanoor P.O Sankagiri-637301 Tamilnadu	<p>TC-10924</p>
Request Reference	Your letter dated: 10.01.2023	
Name of the Product/Sample <sup>@</sup>	1. Euroaqua & Plumtek PPR Brand pipes	
Sample Receipt Date	11.01.2023	

Page 1 of 3

SAMPLE NOT DRAWN BY US

Sample Name <sup>@</sup>	Global Migration Test Simulant (Temp/ Time)	Amount of Extractives		Limits as per IS : 10190: 1984(2018)		Test Method
		mg/dm <sup>2</sup>	ppm	mg/dm <sup>2</sup>	ppm	
Euroaqua & Plumtek PPR Brand Pipes	Dist. Water (40°C/10 days)	0.34	3.4	10	60	IS 9845 : 1998 (2020)

SV : SA = 0.99 : 1

<sup>@</sup>Information as given by the customer.

Please Note: The results contained in this Test Report relate only to the sample tested. This report is intended only for your guidance and not valid for legal purposes or for advertisement.

*Rajasekar*  
 HEAD  
 Food Safety & Analytical  
 Quality Control Laboratory  
 CFTRI, MYSORE

सेन्ट्रल इंस्टिट्यूट ऑफ प्लास्टिक्स  
इंजीनियरिंग एण्ड टेक्नोलॉजी  
(रक्षेय एवं उर्वरक मंत्रालय, भारत सरकार)  
गुल्डी, चेन्नै - 600 032.  
फोन : 22254701-06 फैक्स : 91-44-22254707



### परीक्षण रिपोर्ट TEST REPORT

### CENTRAL INSTITUTE OF PLASTICS ENGINEERING & TECHNOLOGY

(Ministry of Chemicals & Fertilizers, Govt. of India)

Guindy, Chennai - 600 032, India.

Tel : 22254701-06 Fax : 91 - 44 - 22254707

E-mail : chennai@cipet.gov.in Website : www.cipet.gov.in

को जारी / Issued to :  
**M/s.Sakkthi Polymers,**  
**Edappadi Main Road,**  
**Kuppanoor (P.O),**  
**Sankari - 637 301.**

क्र.सं / SI. No. **9740**

रिपोर्ट सं / REPORT NO. : **51275**

Pages.....?.....Nos. Part A,B,C & D

दिनांक / Date : **10<sup>th</sup> August, 2016**

संदर्भ / Ref. : Dtd.27.07.2016

परीक्षण मानक स्तर के अनुसार परीक्षण रिपोर्ट / TEST REPORT AS PER TEST STANDARD : Refer Part C

#### भाग - क / PART - A

#### प्रस्तुत सैपिल का विवरण / PARTICULARS OF SAMPLE SUBMITTED

"EUROAQUA"

अ) सैपिल का नाम / a) Name of the Sample	:	(1) PP RCT Pipes - 63mm PN16 & PN 20 (2) PP - RCT Raw material -as stated by the party
आ) सैपिल प्राप्त होने की तारीख / b) Date of Receipt of sample	:	28.07.2016
इ) ग्रेड/प्रकार/आकार/वर्ग / c) Grade / variety / type / size / class	:	Not applicable
ई) घोषित मूल्य / d) Declared value, If any	:	Not applicable
उ) कोड सं. / e) Code No.	:	Not applicable
ऊ) बैच सं. एवं निर्माण तारीख / f) Batch No. and Date of Manufacture:	:	Not applicable
झ) मात्रा / g) Quantity	:	(1) 1 mtr l x 20 nos (2) 3 kg
ए) पैकिंग की रीति / h) Mode of Packing	:	Packed in woven sack
ऐ) मोहर बंद या नहीं / i) Sealed or not	:	Not sealed
ओ) कोई अन्य सूचना / j) Any other information	:	--

#### भाग - ख / PART - B

#### अनुपूरक सूचनाएँ / SUPPLEMENTARY INFORMATIONS

अ) सैपिलिंग कार्यवाहियों हेतु संदर्भ / a) Reference to sampling procedure	:	Sampling not done by this lab
आ) माप करने हेतु लिए गए सहायक दस्तावेज एवं प्राप्त परिणाम b) Supporting documents for the measurement taken and result derived	:	As given in Part C
इ) संबंधित कार्य अनुदेशों में निर्धारित के अनुसार परीक्षण रीति से कोई परिवर्तन c) Deviation from the test method as prescribed in relevant work instructions, if any	:	No deviation from the standard

# TEST CERTIFICATES

## PPR PIPE TEST REPORT

इंस्टिट्यूट ऑफ प्लास्टिक्स  
निर्माण एण्ड टेक्नोलॉजी  
(असम एवं उर्वरक मंत्रालय, भारत सरकार)  
गुन्दी, चेन्नै - 600 032.  
फोन : 22254701-06 फैक्स : 91-44-22254707



**CENTRAL INSTITUTE OF PLASTICS  
ENGINEERING & TECHNOLOGY**  
(Ministry of Chemicals & Fertilizers, Govt. of India)  
Guindy, Chennai - 600 032, India.  
Tel : 22254701-06 Fax : 91 - 44 - 22254707  
E-mail : chennai@cipet.gov.in Website : www.cipet.gov.in

रिपोर्ट सं / **REPORT NO. : 51275**

परीक्षण रिपोर्ट  
**TEST REPORT**

क्र.सं / Sl. No. **9740**

दिनांक / Date : **10.08.2016**

**भाग - ग / PART - C**

परीक्षण परिणाम / **TEST RESULTS**

**Test Duration: 28.07.2016 to 10.08.2016**

Sample details : PP-RCT Pipe

Dia : 63mm, PN 16

**Standard : DIN-8077:2008-09 , DIN 8078 :2008-09**

Sl. No.	Clause	Property	Unit	Results obtained	Specified Requirements
1.	5.4	<b>Long term Hydrostatic strength test</b> a) Test Temperature : 20°C Hoop stress : 15MPa Stressing period : 1 hr  b) Test Temperature : 95°C Hoop stress : 4.0 MPa Stressing period : 22 hrs		Confirms  Confirms	The pipes shall not leak or otherwise fail during the specified stressing period.

Sample details : PP-RCT Pipe

Dia - 63mm, PN 20

Sl. No.	Clause	Property	Unit	Results obtained	Specified Requirements
1.	5.4	<b>Long term Hydrostatic strength test</b> a) Test Temperature : 20°C Hoop stress : 15MPa Stressing period : 1 hr  b) Test Temperature : 95°C Hoop stress : 4.0 MPa Stressing period : 22 hrs		Confirms  Confirms	The pipes shall not leak or otherwise fail during the specified stressing period.

Sample details : PP-RCT Raw material

Sl. No.	Property	Standard	Unit	Results obtained	Specified Requirements
1.	Melt flow rate (MFR) @ 230°C/2.16 kg	ASTM D 1238	g/10min	0.26	--

**PART - D**

REMARKS - Nil

NOTE:

- The results related only to the items tested as supplied by the party.
- The test certificate shall not be reproduced in full except without the written approval of the laboratory.

2 of 2

7501 to 10,000 / AVP / 18.02.2016

**AUTHORISED SIGNATORY**



भारतीय मानक ब्यूरो  
BUREAU OF INDIAN STANDARDS  
SOUTHERN REGIONAL OFFICE

Address: IV Cross Road, C.I.T. Campus,  
Taramani  
Chennai-600113  
Phones : 044-22541442,  
22542519, 22541584, 22541216  
Fax: 044-22542315  
E-Mail: mdc2@bis.org.in  
web : <http://www.bis.org.in>

**CNBO(MCM)**

### REGISTERED A/D

Our Ref : CM/L-6700037714

Dated : 05 Aug 2016

Subject: Grant of BIS Certification Marks Licence No. CM/L-6700037714 as per IS 15801 : 2008  
M/s SAKKTHI POLYMERS,  
S.F.No.199/2, Edappadi Main Road,  
Kuppanur (Po), Sankari Taluk,  
Sankari  
Distt : Salem  
Tamil nadu 637301  
Dear Sirs,

With reference to your application, we are pleased to inform you that it has been decided to grant you a licence to use the Standard Mark in respect of the following:

**Product: POLYPROPYLENE-RANDOM COPOLYMER PIPES FOR HOT AND COLD WATER SUPPLIES**

**IS No : IS 15801 : 2008**

**Type/Size/Grade/Variety covered under licence :**

**SDR 11, DN 20 to DN 110  
SDR 7.4, DN 20 to DN 110  
SDR 6, DN 20 to DN 110**

2. The number assigned to this licence is **CM/L- 6700037714** which has been made operative from **28/07/2016 and is valid upto 27/07/2017**. The licence number should invariably be referred to in your future correspondence.

3. According to sub-regulation (2) of Regulation 6 of Bureau of Indian Standards (Certification) Regulation, 1988, the licence fee of Rs 1000/- and the marking fee of Rs. 125200.00 as stipulated in the Second Schedule of this licence is payable by you with effect from 28/07/2016 for the period of validity of the licence. Service tax @ 15 % as applicable shall also be charged.

4. Minimum marking fee stipulated therein is payable by you regardless of the whether you actually mark your product or not with the Standard Mark. Our Receipt No. 6721841 dated 28/07/2016 for Rs. 145130.00 for the licence fee (Rs.1000/-) and the minimum marking enclosed.

5. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

6. With a view to streamlining the reporting of quantity marked, calculation and collections of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal and the production marked during twelve months comprising the last three months of the previous operative year, at the time of second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

7. The Scheme of Testing and Inspection DOC: STI/15801/1 March 2009 which has already been accepted by you vide your letter dated 12/11/2015 will have to be implemented by your organization strictly and control function in your organization. The supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us and whenever this takes place.

8. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions are maintained. Preferred dimensions may be used as far as possible. Kindly get the designs of the stencil/label/rating plate incorporating the Standard Mark approved by us. You will be permitted to commence marking the above mentioned product only after approval by this office.

9. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in hoardings, slides and newspapers only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the letterheads etc. with the Standard Mark will be destroyed/obliterated. The required assurance may please be submitted in the enclosed proforma.

10. You are requested to intimate us the actual date from which you intend to introduce the use of Standard Mark on your product. Our Inspecting Officer may be present in your factory at that time to assist you in adopting the Scheme of Testing and Inspection (STI) and in the maintenance of test records.

11. The Licence is being granted for your factory situated at : S.F.No.199/2, Edappadi Main Road, Kuppanur (Po), Sankari Taluk Sankari Salem and the rights and privileges under the licence shall not be exercised by any other firm/company/factory, etc. This licence is not transferable. In the event of shifting of the manufacturing and testing equipment from the licenced premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and address of the new premises is endorsed in the licence.

12. A copy/copies of test report(s) of the sample(s) drawn at the time of preliminary inspection of your factory is/are enclosed for your records.

13. You are requested to intimate to this office the address of your servicing unit where applicable and the name and designation of the person, his telephone and telex number who should be contacted in case of complaints. It is obligatory on your part as a licensee to keep this office informed about changes taking place from time to time in your declared list of servicing units.

# TEST CERTIFICATES

## ISI CERTIFICATE - PPR

14. The licence is under preparation and will be posted to you in due course.

15. You are requested to send us back the enclosed proforma No. CMD/PF615 duly filled in.

16. An instruction sheet containing Responsibilities of BIS Licensees is also enclosed for information / compliance.

Kindly acknowledge receipt of this letter.

Thanking you,


Yours faithfully,

  
(S.D. DAYANAND)  
SCIENTIST-E

---

# TEST CERTIFICATES

## PPR - ROUGHNESS CERTIFICATE





सेन्ट्रल इंस्टिट्यूट ऑफ प्लास्टिक्स  
इंजीनियरिंग एण्ड टेक्नोलॉजी  
(स्वायत्त एवं उर्ध्वतक संशोधन, भारत सरकार)  
गिण्डी, चेन्नै - 600 032.  
फोन : 22254701-06 फैक्स : 91-44-22254707



**CENTRAL INSTITUTE OF PLASTICS  
ENGINEERING & TECHNOLOGY**

(Ministry of Chemicals & Fertilizers, Govt. of India)

Guindy, Chennai - 600 032, India.

Tel : 22254701-06 Fax : 91 - 44 - 22254707

E-mail : chennai@cipet.gov.in Website : www.cipet.gov.in

### परीक्षण रिपोर्ट TEST REPORT

को जारी / Issued to :  
**M/s. Sakthi Polymers,**  
**Edappadi Main Road,**  
**Kuppanoor (P.o),**  
**Sankari - 637 301.**

क्र.सं / SI. No... **8251**

रिपोर्ट सं / REPORT NO. : **50284**

Pages...**2**...Nos. Part A,B,C & D

दिनांक / Date : **07.04.2016**

संदर्भ / Ref. : **Your Letter dtd: 23.03.2016**

परीक्षण मानक स्तर के अनुसार परीक्षण रिपोर्ट / TEST REPORT AS PER TEST STANDARD : Refer Part C

#### भाग - क / PART - A

#### प्रस्तुत सैंपल का विवरण / PARTICULARS OF SAMPLE SUBMITTED

- |  |   |   |
|--|---|---|
| अ) सैंपल का नाम / a) Name of the Sample                              | : | PPR Pipe Samples<br>-as stated by the party |
| आ) सैंपल प्राप्त होने की तारीख / b) Date of Receipt of sample        | : | 01.04.2016                                  |
| इ) ग्रेड/प्रकार/आकार/वर्ग / c) Grade / variety / type / size / class | : | 32mm OD                                     |
| ई) घोषित मूल्य / d) Declared value, If any                           | : | Not applicable                              |
| उ) कोड सं. / e) Code No.   | : | Not applicable                              |
| ऊ) बैच सं. एवं निर्माण तारीख / f) Batch No. and Date of Manufacture: | : | Not applicable                              |
| ऋ) मात्रा / g) Quantity  | : | 1Mtr lx3 No's                               |
| ए) पैकिंग की रीति / h) Mode of Packing                               | : | Covered in woven sack                       |
| ऐ) मोहर बंद या नहीं / i) Sealed or not                               | : | Not Sealed                                  |
| ओ) कोई अन्य सूचना / j) Any other information                         | : | --  |

#### भाग - ख / PART - B

#### अनुपूरक सूचनाएँ / SUPPLEMENTARY INFORMATIONS

- |   |   |                                |
|---|---|--------------------------------|
| अ) सैंपलिंग कार्यवाहियों हेतु संदर्भ / a) Reference to sampling procedure   | : | Sampling not done by this lab  |
| आ) माप करने हेतु लिए गए सहायक दस्तावेज एवं प्राप्त परिणाम<br>b) Supporting documents for the measurement taken and result derived                                       | : | As given in Part C             |
| इ) संबंधित कार्य अनुदेशों में निर्धारित के अनुसार परीक्षण रीति से कोई परिवर्तन<br>c) Deviation from the test method as prescribed in relevant work instructions, if any | : | No deviation from the standard |

# TEST CERTIFICATES

## PPR - FIRE RETARDANT CERTIFICATE

सेन्ट्रल इंस्टिट्यूट ऑफ प्लास्टिक्स  
इंजीनियरिंग एण्ड टेक्नोलॉजी  
(संस्कृत एवं इवरेक मंत्रालय, भारत सरकार)  
गिन्दी, चेन्नै - 600 032.  
फोन : 22254701-06 फैक्स : 91-44-22254707



**CENTRAL INSTITUTE OF PLASTICS  
ENGINEERING & TECHNOLOGY**

(Ministry of Chemicals & Fertilizers, Govt. of India)

Guindy, Chennai - 600 032, India.

Tel : 22254701-06 Fax : 91 - 44 - 22254707

E-mail : chennai@cipet.gov.in Website : www.cipet.gov.in

परीक्षण रिपोर्ट  
**TEST REPORT**

रिपोर्ट सं / REPORT NO **50284**

क्र.सं / Sl. No. **8251**

दिनांक / Date : **07.04.2016**

भाग - ग / PART - C

परीक्षण परिणाम / TEST RESULTS

Test Duration: 01.04.2016 to 07.04.2016

Sl. No.	Property	Standard	Unit	Results obtained
1.	Flammability	UL - 94 (Vertical)	-	V <sub>2</sub>

PART - D

REMARKS - Nil

NOTE:

1. The results related only to the items tested as supplied by the party.
2. The test certificate shall not be reproduced in full except without the written approval of the laboratory.

2 of 2

7501 to 10,000 / AVP / 18.02.2016

AUTHORISED SIGNATORY

# TEST CERTIFICATES

## PE-RT PIPE - CIPET CERTIFICATE

सिपेट : इंस्टिट्यूट ऑफ प्लास्टिक्स टेक्नोलॉजी  
(संघन एवं ज्वलक संशोधन, भाग सकार)  
गिण्टी, चेन्नई - 600 032.  
फोन : 91-44-2225 4701-6 फैक्स : 91-44-22254707  
ई-मेल : chennai@cipet.gov.in वेबसाइट : www.cipet.gov.in



CIPET : INSTITUTE OF PLASTICS TECHNOLOGY  
(Ministry of Chemicals & Fertilizers, Govt. of India)  
Guindy, Chennai - 600 032.  
Tel : 91-44-2225 4701-6 Fax : 91 - 44 - 22254707  
E-mail : chennai@cipet.gov.in Website : www.cipet.gov.in

### परीक्षण रिपोर्ट / TEST REPORT

को जारी /  
Issued to :

**Euroaqua Plumtek Pvt. Ltd.,  
Edappadi Main Road, Kuppanoor P.O., Sankari  
637301, Salem, Tamil Nadu, India.**

क्र.सं / Sl. No. **27357**

रिपोर्ट सं / REPORT NO. : **65968**

दिनांक / Date : **16-07-2021**

05-02-2021 Pages.....Nos. Part A,B,C & D

संदर्भ / Customer Let. Ref :

परीक्षण मानक स्तर के अनुसार परीक्षण रिपोर्ट / TEST REPORT AS PER TEST STANDARD : Refer Part C



#### भाग - क / PART - A

#### प्रस्तुत सैपिल का विवरण / PARTICULARS OF SAMPLE SUBMITTED

अ) सैपिल का नाम / a) Name of the Sample : PE-RT Pipes - as stated by the party

आ) सैपिल प्राप्त होने की तारीख / b) Date of Receipt of sample : 23-04-2021

इ) ग्रेड/प्रकार/आकार/वर्ग / c) Grade / variety / type / size / class : 20mm x 2.8mm, PE80, PN16 Type-II

ई) घोषित मूल्य / d) Declared value, If any : Nil

उ) कोड सं. / e) Code No. : Nil

ऊ) बैच सं. एवं निर्माण तारीख / f) Batch No. and Date of Manufacture: Nil

अ) मात्रा / g) Quantity : 1 mtr. X 10 nos.

ए) पैकिंग की रीति / h) Mode of Packing : Wrapped in Polythene cover

ऐ) मोहर बंद या नहीं / i) Sealed or not : Not Sealed

ओ) कोई अन्य सूचना / j) Any other information : Make: Plumtek - as stated by the party

21040182

#### भाग - ख / PART - B

#### अनुपूरक सूचनाएँ / SUPPLEMENTARY INFORMATIONS

- अ) सैपिलिंग कार्यवाहियों हेतु संदर्भ / a) Reference to sampling procedure : Sampling not done by this lab
- आ) माप करने हेतु लिए गए सहायक दस्तावेज एवं प्राप्त परिणाम  
b) Supporting documents for the measurement taken and result derived : As given in Part C
- इ) संबंधित कार्य अनुदेशों में निर्धारित के अनुसार परीक्षण रीति से कोई परिवर्तन  
c) Deviation from the test method as prescribed in relevant work instructions, if any : No deviation from the standard

# TEST CERTIFICATES

## PE-RT PIPE - CIPET CERTIFICATE

सिपेट : इंस्टिट्यूट ऑफ प्लास्टिक्स टेक्नोलॉजी  
(एलएस एवं ड्रॉक मंत्रालय, भारत सरकार)  
गिण्टी, चेन्नै - 600 032.  
फोन : 91-44-2225 4701-6 फ़ैक्स : 91-44-22254707  
ई-मेल : chennai@cipet.gov.in वेबसाइट : www.cipet.gov.in



**CIPET : INSTITUTE OF PLASTICS TECHNOLOGY**  
(Ministry of Chemicals & Fertilizers, Govt. of India)  
Guindy, Chennai - 600 032.  
Tel : 91-44-2225 4701-6 Fax : 91 - 44 - 22254707  
E-mail : chennai@cipet.gov.in Website : www.cipet.gov.in

### परीक्षण रिपोर्ट / TEST REPORT

रिपोर्ट सं / REPORT NO. : **65968**

क्र.सं / Sl. No. **27357**

दिनांक / Date : **16-07-2021**

Test Duration: 26-04-2021 To 16-07-2021 **भाग - ग / PART - C**

परीक्षण परिणाम / TEST RESULTS as per ISO:22391-2



S. No.	Clause	Test Name	Unit	Specified Requirement	Test Value Obtained
1	5.1	Appearance	-	Internal & External surface of pipes shall be smooth, clean and free from extent of scoring, cavities and other surface defects.	Satisfactory
2	6.2	DIMENSIONS			
3	6.2.1 Table-3,4,5,6	Mean Outside diameter-Min.	mm	20.0	20.2
4	6.2.1 Table-3,4,5,6	Mean Outside diameter-Max.	mm	20.3	20.3
5	6.2.2 Table-3,4,5,6	Wall thickness-Min.	mm	2.8	2.9
6	6.2.2 Table-7	Tolerance on Wall thickness	mm	+ 0.4 0	0.16
7	7 Table-8	Resistance to Internal Pressure at 9.9 Mpa hoop stress for 1 hour at 20°C	-	No failure during the test period	No sign of failure
8	7 Table-8	Resistance to Internal Pressure at 3.8 Mpa hoop stress for 22 hours at 95°C	-	No failure during the test period	No sign of failure
9	8 Table-10	Longitudinal Reversion	%	Longitudinal reversion shall be less than or equal to 2%	1.7
10	8 Table-10	Melt mass flow rate at 190°C/5 kg	gm/10 min. (%)	30% maximum difference compared to compound	0.95 11.8

**Part-D REMARKS**

- This Test report/Certificate is issued only for the samples submitted to CIPET
- The Results stated above related only to the items tested.
- The Quality of the subsequent production lot has to be ensured by the purchaser.
- This report, in full or part, shall not be reproduced, published, advertised, used for any legal action, Unless prior permission has been secured.
- Selection of samples for individual test has been done in accordance with respective clauses of IS.
- Details of test sub-contracted: Nil

\*\*\*End Of Report\*\*\*\*

2 of

AUTHORISED SIGNATORY

AUTHORISED SIGNATORY



Unit 30 | Fern Close | Pen-Y-Fan Ind Est | Oakdale | Gwent | NP11 3EH | UK  
 Tel: +44 (0) 1495 236260 wales@nsf.org | www.nsf.org

# TEST REPORT

**Customer: C0718392**

Euroaqua Plumtek Private Limited  
 199/2A Edappadi Main Road,  
 Kuppanoor (P.O.), Sankari  
 Salem, TA 637301  
 India

<b>Result</b>	This product has satisfied the criteria set out in BS 6920: Part 1: 2014 "Specification" and thus is suitable for use with hot (up to 85°C) and cold water.
Customer Name	Euroaqua Plumtek Private Limited
Product	Plumtek Pipe (PE-RT)
Test Undertaken	BS 6920: 2014 - Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water
Job Number	J-00437619
Work Order Number	W0788616

**Thank you for having your product tested by NSF Wales Ltd.**

Please contact your Account Manager if you have any questions or concerns pertaining to this report.

**Report Date** 15-DEC-2022

**Report Authorisation** *Angelo Iannetelli*  
 Angelo Iannetelli - Specialist II Labs Wales



### Result Summary Section

Test	Result
Odour and flavour of water BS 6920: Part 1: 2014, Clause 4 - 23°C	Pass
Odour and flavour of water BS 6920: Part 1: 2014, Clause 4 - 85°C	Pass
Appearance of Water BS 6920: Part 1: 2014, Clause 5	Pass
Growth of Microorganisms BS 6920: Part 1: 2014, Clause 6	Pass
Extraction of substances that may be of concern to public health BS 6920: Part 1: 2014, Clause 7 - 23°C	Pass
Extraction of substances that may be of concern to public health BS 6920: Part 1: 2014, Clause 7 - 85°C	Pass
Extraction of Metals BS 6920: Part 1: 2014, Clause 8 - 85°C	Pass

FI20221215052115

J-00437619

This report is issued in accordance with the laboratory accreditation requirements of the United Kingdom Accreditation Service. It provides traceability of measurement to the SI system of units and/or to units of measurement realised at the National Physical Laboratory or other recognised national metrology institutes. This report shall not be reproduced, except in its entirety, without the written approval of NSF Wales Ltd. This report does not represent NSF Certification or authorisation to use the NSF Mark. Authorisation to use the NSF Mark is limited to products appearing in the Company's Official NSF Listing (www.nsf.org). The results relate only to those items tested, in the condition received at the laboratory.

Approval Number 2212542  
Test Report: J-00437619



19<sup>th</sup> January 2023

Euroaqua Plumtek Private Limited  
199/2A Edappadi Main Road,  
Kuppanoor (P.O.), Sankari  
Salem, TA 637301  
India

Water Regulations Approval Scheme Ltd.  
Unit 13,  
Willow Road,  
Pen y Fan Industrial Estate,  
Crumlin,  
Gwent,  
NP11 4EG

### **WATER REGULATIONS APPROVAL SCHEME LTD. (WRAS) MATERIAL APPROVAL**

The material referred to in this letter is suitable for contact with wholesome water for domestic purposes having met the requirements of BS6920-1:2000 and/or 2014 'Suitability of non-metallic products for use in contact with water intended for human consumption with regard to their effect on the quality of the water'.

The reference relates solely to its effect on the quality of the water with which it may come into contact and does not signify the approval of its mechanical or physical properties for any use.

#### **POLYETHYLENE- COMPONENTS.**

**5240**

'Plumtek Pipe & Euroaqua Pipe'. Grey coloured, extruded PE-RT Pipe. For use with water up to 85°C.

**APPROVAL NUMBER: 2212542**  
**APPROVAL HOLDER: EUROAQUA PLUMTEK PRIVATE LIMITED**

The Scheme reserves the right to review approval.  
Approval 2212542 is valid between December 2022 and December 2027

An entry, as above, will accordingly be included in the Water Fittings Directory on-line under the section headed, "Materials which have passed full tests of effect on water quality".

The Directory may be found at: [www.wrasapprovals.co.uk/approvals-directory/](http://www.wrasapprovals.co.uk/approvals-directory/)

Yours Faithfully

A handwritten signature in blue ink, appearing to read 'Ian Hughes', is written over a light blue horizontal line.

**Ian Hughes**  
**WRAS Approvals Manager**

# TEST CERTIFICATES

## PE-RT - FOOD GRADE CERTIFICATE

Phone : 0821-2514972




ई-मेल : E-mail : csc@cftri.res.in  
 1. ಎಸ್‌ಎಚ್‌ಆರ್ - ಕೇಂದ್ರೀಯ ಆಹಾರ ತಾಂತ್ರಿಕ ಸಂಶೋಧನಾಲಯ, ಮೈಸೂರು - 570 020  
 सी एस आई आर - केन्द्रीय खाद्य प्रौद्योगिक अनुसंधान संस्थान, मैसूरु - 570 020  
 CSIR-Central Food Technological Research Institute, Mysuru - 570 020, India

### TEST REPORT

ULR T C 1 0 9 2 4 2 2 0 0 0 0 0 2 3 8 F

0 3 0 2 2 3

Name & Address of the Customer	M/s. Euroaqua Plumtek Pvt Ltd. 199 2A, Edappadi Main Road, Kuppanoor P.O Sankagiri-637301 Tamilnadu	 TC-10924
Request Reference	Your letter dated: 10.01.2023	
Name of the Product/Sample®	2. Euroaqua & Plumtek PE-RT brand pipes	
Sample Receipt Date	11.01.2023	

Page 2 of 2

#### SAMPLE NOT DRAWN BY US

Sample Name <sup>®</sup>	Global Migration Test Simulant (Temp/ Time)	Amount of Extractives		Limits as per IS : 10146 : 1982 (2018)		Test Method
		mg/dm <sup>2</sup>	ppm	mg/dm <sup>2</sup>	ppm	
Euroaqua & Plumtek PE-RT Brand Pipes	Dist. Water (40°C/10 days)	0.49	4.9	10	60	IS 9845 : 1998 (2020)

SV : SA = 0.99 : 1

® Information as given by the customer.

**Please Note:** The results contained in this Test Report relate only to the sample tested. This report is intended only for your guidance and not valid for legal purposes or for advertisement.

  
**HEAD**  
 Food Safety & Analytical  
 Quality Control Laboratory  
 CFTRI, MYSORE

सिपेट : इन्स्टिट्यूट ऑफ प्लास्टिक्स टेक्नोलॉजी  
(संस्थान एवं ज्वैक मंत्रालय, भारत सरकार)  
गिण्डी, चेन्नै - 600 032.  
फोन : 91-44-2225 4701-6 फैक्स : 91-44-22254707  
ई-मेल : chennai@cipet.gov.in वेबसाइट : www.cipet.gov.in



CIPET : INSTITUTE OF PLASTICS TECHNOLOGY  
(Ministry of Chemicals & Fertilizers, Govt. of India)  
Guindy, Chennai - 600 032.  
Tel : 91-44-2225 4701-6 Fax : 91 - 44 - 22254707  
E-mail : chennai@cipet.gov.in Website : www.cipet.gov.in

को जारी /  
Issued to :

**Sakkthi Polymers**  
**Edappadi Main Road, Kuppanoor (Post), Sankari**  
**637301. Tamil Nadu**

### परीक्षण रिपोर्ट / TEST REPORT

क्र.सं / SI. No. **25494**

रिपोर्ट सं / REPORT NO. : **63917**

दिनांक / Date : **04-11-2020**

संदर्भ / Customer Let. Ref :

परीक्षण मानक स्तर के अनुसार परीक्षण रिपोर्ट / TEST REPORT AS PER TEST STANDARD : Refer Part C

06-10-2020 Pages.....Nos. Part A,B,C & D



### भाग - क / PART - A

#### प्रस्तुत सैपिल का विवरण / PARTICULARS OF SAMPLE SUBMITTED

- |  |  |
|--|--|
| अ) सैपिल का नाम / a) Name of the Sample                              | : MDPE Pipe sample<br>Brand Name: PLUMTEK - as stated by the party |
| आ) सैपिल प्राप्त होने की तारीख / b) Date of Receipt of sample        | : 09-10-2020   |
| इ) ग्रेड/प्रकार/आकार/वर्ग / c) Grade / variety / type / size / class | : 20mm - PN16 and PN12.5   |
| ई) घोषित मूल्य / d) Declared value, If any                           | : Nil  |
| उ) कोड सं. / e) Code No.   | : Nil  |
| क) बैच सं. एवं निर्माण तारीख / f) Batch No. and Date of Manufacture: | : Nil  |
| ख) मात्रा / g) Quantity  | : 02 grades (1 mtr X 10 Nos. each)                                 |
| ए) पैकिंग की रीति / h) Mode of Packing                               | : Packed in Polythene wrapper                                      |
| ऐ) मोहर बंद या नहीं / i) Sealed or not                               | : Not Sealed   |
| ओ) कोई अन्य सूचना / j) Any other information                         | : --   |

### भाग - ख / PART - B

20100824

#### अनुपूरक सूचनाएँ / SUPPLEMENTARY INFORMATIONS

- |   |                                  |
|---|----------------------------------|
| अ) सैपिलिंग कार्यवाहियों हेतु संदर्भ / a) Reference to sampling procedure   | : Sampling not done by this lab  |
| आ) माप करने हेतु लिए गए सहायक दस्तावेज एवं प्राप्त परिणाम<br>b) Supporting documents for the measurement taken and result derived                                       | : As given in Part C             |
| इ) संबंधित कार्य अनुदेशों में निर्धारित के अनुसार परीक्षण रीति से कोई परिवर्तन<br>c) Deviation from the test method as prescribed in relevant work instructions, if any | : No deviation from the standard |



# TEST CERTIFICATES

## MDPE CERTIFICATE

सिपेट : इंस्टिट्यूट ऑफ प्लास्टिक्स टेक्नोलॉजी  
(स्वायत्त एवं स्वतंत्र संस्थान, भारत सरकार)  
गिण्डी, चेन्नै - 600 032.  
फोन : 91-44-2225 4701-6 फैक्स : 91-44-22254707  
ई-मेल : chennai@cipet.gov.in वेबसाइट : www.cipet.gov.in



CIPET : INSTITUTE OF PLASTICS TECHNOLOGY  
(Ministry of Chemicals & Fertilizers, Govt. of India)  
Guindy, Chennai - 600 032.  
Tel : 91-44-2225 4701-6 Fax : 91 - 44 - 22254707  
E-mail : chennai@cipet.gov.in Website : www.cipet.gov.in

### परीक्षण रिपोर्ट / TEST REPORT

रिपोर्ट सं / REPORT NO. : **63917**

क्र.सं / Sl. No. **25494**

दिनांक / Date : **04-11-2020**

भाग - ग / PART - C

### परीक्षण परिणाम / TEST RESULTS



Test Duration: 08.10.2020 to 04.11.2020

Sample Details : Plastics piping systems for water supply,  
and for Drainage and sewerage under pressure – Polyethylene (PE)  
Size : 20mm, PE 80, PN 12.5  
Standard : ISO 4427-2: 2019 (E)

Sl. No.	Clause	Property	Unit	Results Obtained	Specified requirements
1	8	Mechanical Characteristics	--		
	8.2	Requirements (Table-3) Hydrostatic Strength at 80°C Test Temperature: 80°C Test Period: 48 hours Circumferential (hoop) stress: 4.5 MPa		Confirms	No failure of any test piece during test period.

Sample Details : Plastics piping systems for water supply,  
and for Drainage and sewerage under pressure – Polyethylene (PE)  
Size : 20mm, PE 80, PN 16  
Standard : ISO 4427-2: 2019 (E)

Sl. No.	Clause	Property	Unit	Results Obtained	Specified requirements
1	6	General Characteristics			
	6.1	Appearance	--	Satisfactory	The Internal and External surface of pipes shall be smooth and clean and shall have not scoring, cavities and other surface defects. The pipe ends shall be cut cleanly and square to the axis of the pipe.
	6.2	Colour	--	Blue	Blue pipe or Black pipes with blue strips.
2	7	Geometrical characteristics			
	7.2	Mean outside diameter and out of roundness (ovality) Nominal outside diameter (dn)	mm	20.0	20.0
		Mean outside diameter		20.2	Min.: 20.0 – 20.3
		Maximum out of roundness (ovality)		0.4	Max.: 1.2

Contd.,  
2 of

  
AUTHORISED SIGNATORY

  
AUTHORISED SIGNATORY

# TEST CERTIFICATES

## MDPE CERTIFICATE



**CIPET**  
Chennai-32.

Continuation Sheet

Report No: **63917**

### TEST RESULTS



Date: **04-11-2020**

Sample Details : Plastics piping systems for water supply,  
and for Drainage and sewerage under pressure – Polyethylene (PE)  
Size : 20mm, PE 80, PN 16  
Standard : ISO 4427-2: 2019 (E)

Sl. No.	Clause	Property	Unit	Results Obtained	Specified requirements
3	7.3	Wall thickness and their tolerances Min: Max:	mm	2.3 2.4	Min: 2.3 Max: 2.7
4	8 8.2	Mechanical Characteristics Requirements (Table-3) Hydrostatic Strength at 80°C Test Temperature: 80°C Test Period: 48 hours Circumferential (hoop) stress: 4.5 MPa	--	Confirms	No failure of any test piece during test period.
5	9 9.2	Physical Characteristics Requirements (Table – 5) Longitudinal Reversion	%	2.01	≤ 3% No effect on surface
6	4.4	(ISO-4427-1 : 2007 of Table – 1) Melt mass – flow rate (Pipe) Load : 5kg Test Temperature : 190°C Compound density (Pipe)	g/10min kg/m <sup>3</sup>	1.20 945.0	0.2 to 1.4 g/10min ≥ 930 kg/m <sup>3</sup>

### PART - D

#### REMARKS - Nil

#### NOTE:



1. The results related only to the items tested as supplied by the party.
2. The Test Certificate shall not be reproduced in full except without the written approval of the laboratory.
3. The Test Report / Certificate is issued only for the samples submitted to CIPET.
4. The Quality of the subsequent production lot has to be ensured by the purchaser.

  
AUTHORISED SIGNATORY

  
AUTHORISED SIGNATORY

# TEST CERTIFICATES

## BATHROOM TAPS (PBT/PTMT TEST REPORT)

EUROAQUA PLUMTEK		Test Report		
Report reference	001/09.07.2020	Date:15.12.2022		
Product category	Bathroom Taps(PBT/PTMT)			
Product description	Plumtek Series			
No. Of sample tested	10 nos			
S.no	NAME OF THE TEST	TEST METHOD	SPECIFICATION	RESULTS
1	<u>Visual Inspection</u>	Visual	All molded parts should be free from cracks,spots and blow holes	PASS
a	Construction/Craftmanship/Finish			
b	Outlook Finishing/Gloosyness	Visual	Internal surface should be clean and smooth / External surface should be good	PASS
2	<u>Functional test</u>			
a	Leak tightness test (Upstream)	As per EN 200	Should be with stand 16bar Hydraulic pressure for 60sec without any damage and leakage in all clauses	PASS
b	Leak tightness test (Downstream)		Should be with stand 4 bar Hydraulic pressure for 60sec without any damage and leakage in all clauses	PASS
c	Flow rate (Nominal)	As per EN 200	Q nom≤5 LPM	5 LPM
d	Flow rate (Maximum)		Should not be Exceed 6LPM	5.5 LPM
e	Torque/Breakage test	As per Qnoms	No breakages or failures allowed in all clauses at 5NM	PASS
f	Endurance test (Life period)	As per Qnoms	Should be with stand upto (Min) 50000 cycles without any damages or leakages in all clauses	PASS
 Quality Inspector Tested By		 For EUROAQUA PLUMTEK PRIVATE LIMITED Quality Head Approved By		
<b>AUTHORISED SIGNATORY</b>				

# TEST CERTIFICATES

## PLUMTEK WATER TAPS - FOOD GRADE CERTIFICATE

Phone : 0821-2514972

ई-मेल : E-mail : csc@cftri.res.in




ಒಎಸ್‌ಐಆರ್ - ಕೇಂದ್ರೀಯ ಆಹಾರ ತಾಂತ್ರಿಕ ಸಂಶೋಧನಾಲಯ, ಮೈಸೂರು - 570 020  
 सी एस आई आर - केन्द्रीय खाद्य प्रौद्योगिक अनुसंधान संस्थान, मैसूरु - 570 020  
 CSIR-Central Food Technological Research Institute, Mysuru - 570 020, India

### TEST REPORT

ULR T C 1 0 9 2 4 2 2 0 0 0 0 0 2 3 8 F

0 3 0 2 2 3

<b>Name &amp; Address of the Customer</b>	<b>M/s. Euroaqua Plumtek Pvt Ltd. 199 2A, Edappadi Main Road, Kuppanoor P.O Sankagiri-637301 Tamilnadu</b>	 TC-10924
<b>Request Reference</b>	Your letter dated: 10.01.2023	
<b>Name of the Product/Sample<sup>@</sup></b>	<b>3. Euroaqua &amp; Plumtek water taps</b>	
<b>Sample Receipt Date</b>	11.01.2023	Page 3 of 3

**SAMPLE NOT DRAWN BY US**

Sample Name <sup>@</sup>	Global Migration Test Simulant (Temp/ Time)	Amount of Extractives		Limits as per IS :10190: 1984(2018)		Test Method
		mg/dm <sup>3</sup>	ppm	mg/dm <sup>3</sup>	ppm	
Euroaqua & Plumtek water Taps	Dist. Water (40°C/10 days)	0.73	7.5	10	60	IS 9845 : 1998 (2020)

SV : SA = 0.97 : 1

<sup>@</sup> Information as given by the customer.

**Please Note:** The results contained in this Test Report relate only to the sample tested. This report is intended only for your guidance and not valid for legal purposes or for advertisement.

*Santosh*  
 HEAD  
 Food Safety & Analytical  
 Quality Control Laboratory  
 CFTRI, Mysuru

## COMPANY REGISTRATION CERTIFICATE



GOVERNMENT OF INDIA  
MINISTRY OF CORPORATE AFFAIRS

Central Registration Centre

### Certificate of Incorporation

[Pursuant to sub-section (2) of section 7 of the Companies Act, 2013 (18 of 2013) and rule 18 of the Companies (Incorporation) Rules, 2014]

I hereby certify that EUROAQUA PLUMTEK PRIVATE LIMITED is incorporated on this Fifth day of October Two thousand eighteen under the Companies Act, 2013 (18 of 2013) and that the company is limited by shares.

The Corporate Identity Number of the company is U36999TZ2018PTC031075.

The Permanent Account Number (PAN) of the company is AAFCE2163A

The Tax Deduction and Collection Account Number (TAN) of the company is CHEE07653C\*

Given under my hand at Manesar this Ninth day of October Two thousand eighteen .



Digital Signature Certificate

Mohd Shakeel

Deputy Registrar Of Companies

For and on behalf of the Jurisdictional Registrar of Companies

Registrar of Companies

Central Registration Centre

Disclaimer: This certificate only evidences incorporation of the company on the basis of documents and declarations of the applicant(s). This certificate is neither a license nor permission to conduct business or solicit deposits or funds from public. Permission of sector regulator is necessary wherever required. Registration status and other details of the company can be verified on [www.mca.gov.in](http://www.mca.gov.in)

Mailing Address as per record available in Registrar of Companies office:

EUROAQUA PLUMTEK PRIVATE LIMITED

S. F.No.199/2A, Manjakkalpatti Villa, Edappadi Main Road, Kuppanur Post,,

SANKAGIRI, Salem, Tamil Nadu, India, 637301



\* as issued by the Income Tax Department

# GST CERTIFICATE




(Amended)

Government of India  
Form GST REG-06  
[See Rule 10(1)]

## Registration Certificate

Registration Number : 33AAFCE2163A1ZC

1.	Legal Name	EUROAQUA PLUMTEK PRIVATE LIMITED			
2.	Trade Name, if any	EUROAQUA PLUMTEK PRIVATE LIMITED			
3.	Constitution of Business	Private Limited Company			
4.	Address of Principal Place of Business	SF NO 199/2A, MANJAKALPATTI VILLA, EDAPPADI MAIN ROAD, KUPPANOOR POST SANKAGIRI, Salem, Tamil Nadu, 637301			
5.	Date of Liability	05/10/2018			
6.	Date of Validity	From	08/03/2019	To	Not Applicable
7.	Type of Registration	Regular			
8.	Particulars of Approving Authority	Centre Goods and Services Tax Act, 2017			
Signature					
Name		Balachandrar Kandasamy			
Designation		Superintendent			
Jurisdictional Office		SANKARI			
9.	Date of issue of Certificate	23/04/2021			
Note: The registration certificate is required to be prominently displayed at all places of Business/Office(s) in the State.					

This is a system generated digitally signed Registration Certificate issued based on the approval of application granted on 23/04/2021 by the Jurisdictional authority.



Annexure A

### Details of Additional Place of Business(s)

GSTIN 33AAFCE2163A1ZC  
Legal Name EUROAQUA PLUMTEK PRIVATE LIMITED  
Trade Name, if any EUROAQUA PLUMTEK PRIVATE LIMITED

Total Number of Additional Places of Business(s) in the State 3

Sr. No.	Address
1	15, ATHIMARATHOTTAM, NEHRU NAGAR, MANIYAKARANPALAYAM, Coimbatore, Tamil Nadu, 641006
2	39, CHAIRMAN VENKATAPPAN STREET, SALEM, Salem, Tamil Nadu, 636001
3	103/1, SERVICE ROAD, VANAGARAM, CHENNAI, Chennai, Tamil Nadu, 600095



Annexure B

GSTIN 33AAFCE2163A1ZC  
Legal Name EUROAQUA PLUMTEK PRIVATE LIMITED  
Trade Name, if any EUROAQUA PLUMTEK PRIVATE LIMITED

### Details of Managing / Whole-time Directors and Key Managerial Persons

Sr. No.	Name	Designation/Status	Resident of State
1	 PALANISAMY MOHAN	DIRECTOR	Tamil Nadu
2	 BADRAGIRI SUDHA PRIYADHARSHINI	DIRECTOR	Tamil Nadu

## MSME CERTIFICATE



भारत सरकार  
Government of India  
सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय  
Ministry of Micro, Small and Medium Enterprises

**MSME**  
सूक्ष्म, लघु एवं मध्यम उद्यम  
MICRO, SMALL & MEDIUM ENTERPRISES

## UDYAM REGISTRATION CERTIFICATE



Our small hands to  
make you LARGE

UDYAM REGISTRATION NUMBER	UDYAM-TN-20-0011087				
NAME OF ENTERPRISE	M/S EUROAQUA PLUMTEK PRIVATE LIMITED				
TYPE OF ENTERPRISE *	SMALL ( MICRO During Previous Financial Year )				
MAJOR ACTIVITY	MANUFACTURING				
SOCIAL CATEGORY OF ENTREPRENEUR	GENERAL				
NAME OF UNIT(S)	S.No.	Udyog Aadhaar Memorandum	Unit(s) Name		
	1	TN20A0055567	EUROAQUA PLUMTEK PVT LTD		
OFFICIAL ADDRESS OF ENTERPRISE	Flat/Door/Block No.	199/2A	Name of Premises/ Building	Euroaqua Plumtek Pvt Ltd	
	Village/Town	Manjalikalpatti Village	Block	Edappadi Main Road	
	Road/Street/Lane	Kuppanoor Post	City	Sankagiri	
	State	TAMIL NADU	District	SALEM, Pin 637301	
	Mobile	9842742937	Email:	gm@euroaquapr.com	
DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE	09/10/2018				
DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS	01/04/2019				
NATIONAL INDUSTRY CLASSIFICATION CODE(S)	S.No.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
	1	22 - Manufacture of rubber and plastics products	2220 - Manufacture of plastics products	22209 - Manufacture of other plastics products n.e.c	Manufacturing
DATE OF UDYAM REGISTRATION	21/12/2020				

\* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the M/o MSME.

Disclaimer: This is computer generated statement, no signature required. Printed from <https://udyamregistration.gov.in> & Date of printing - 12/01/2022

For any assistance, you may contact:

1. District Industries Centre: SALEM (TAMIL NADU)
2. MSME-DI: CHENNAI (TAMIL NADU)

Visit : [www.msme.gov.in](http://www.msme.gov.in) ; [www.dcmsme.gov.in](http://www.dcmsme.gov.in) ; [www.champions.gov.in](http://www.champions.gov.in)



Follow us @minmsme & @msmechampions



**BE A  
CHAMPION**  
with the  
Ministry of  
**MSME**

ISO CERTIFICATE

**BSA**  
International Certification  
Co. Private Limited

**CERTIFICATE  
OF COMPLIANCE**

**EUROAQUA PLUMTEK PVT LIMITED**

No.199/2A,Manjakalpatti Village,  
Edappadi Main Road,Kuppanoor Post,Sankagiri - 637 301,  
Salem District,Tamilnadu,India.

has been Assessed and found to be accordance with

**ISO 9001:2015**

This Quality Management System only applicable to  
**Manufacture and Supply of Rigid PVC,UPVC Pipes & Fittings,  
PVC Braided Hoses,PVC Flexible Suction Hoses,  
PP-R Pipes & Fittings and HDPE Pipes**

17th Apr 2022  
Date of Originally Registered

**BEP1283/N1283/0422**

Certificate Number

17th Apr 2022  
Date of Initial Registration

17th May 2023  
Date of Last Issue

1.0  
Version

16th Apr 2024  
Date of Expiry



A handwritten signature in blue ink, appearing to read 'Dr. M. Babuji', is written over a horizontal line.

**(Dr. M. Babuji)**  
Signature of Managing Director

This Certificate is Not Valid After **16th Apr 2024**

**BSA IS ACCREDITED BY NATIONAL ACCREDITATION BOARD FOR CERTIFICATION BODIES (NABCB).**

\*Certification is Valid ( From 17th Apr 2022 to 16th Apr 2025 ) Subject to the successful completion of surveillance audit on/before **16th Apr 2024**

Upon successfully completion of SA/RCA a NEW CERTIFICATE with an extended validity will be issued.

This Certificate remains the property of BSA and shall be returned immediately upon request.

This Issue of the Certificate does not bestow any legal Right.

Please check current status of this certificate at [www.bsastandards.com](http://www.bsastandards.com) or

Contact **Dr. M.Babuji**,

**Head Quarters** : 03rd Floor,Aditya Vista Complex, Surya Nagar 05th Cross,Arasanatty,Hosur – 635 126,  
Tamilnadu,India. Email : [bsacertifications@gmail.com](mailto:bsacertifications@gmail.com). Mobile: +91 94433 60617



PAN CARD

**आयकर विभाग**  
INCOME TAX DEPARTMENT



**भारत सरकार**  
GOVT. OF INDIA

स्थायी लेखा संख्या कार्ड  
Permanent Account Number Card

**AAFCE2163A**

नाम / Name  
**EUROAQUA PLUMTEK PRIVATE LIMITED**

निगमन / गठन की तारीख  
Date of Incorporation/Formation  
05/10/2018



10102018


**इस कार्ड के खोने/पाने पर कृपया सूचित करें/लौटाएं:**

आयकर पैन सेवा इकाई, एन एस डी एल  
5 वीं मंजिल, मंत्री स्टर्लिंग,  
प्लॉट नं. 341, सर्वे नं. 997/8,  
मॉडल कालोनी, दीप बंगला चौक के पास,  
पुणे - 411 016.

*If this card is lost / someone's lost card is found,  
please inform / return to :*

Income Tax PAN Services Unit, NSDL  
5th Floor, Mantri Sterling,  
Plot No. 341, Survey No. 997/8,  
Model Colony, Near Deep Bungalow Chowk,  
Pune - 411 016.

Tel: 91-20-2721 8080, Fax: 91-20-2721 8081  
e-mail: tininfo@nsdl.co.in



# INSTALLATION

PPR & PPR-CT Pipes & Fittings



# INSTALLATION

PPR & PPR-CT Pipes & Fittings




# INSTALLATION

PPR & PPR-CT Pipes & Fittings



# INSTALLATION

PPR & PPR-CT Pipes & Fittings



# INSTALLATION

PPR & PPR-CT Pipes & Fittings



Hot & Chilled Water



Infrastructure



Air



Strong Chemicals



Food



Paper



Pharma



Textile



Leather

# SATISFACTION CERTIFICATES

CRI - CUSTOMER SATISFACTION CERTIFICATE  
( Chilled & Cooling Water Application )



## To whomsoever it may concern

We would like to acknowledge that, we are used & installed EUROAQUA THERMOKING PPR-FRP INDUSTRIAL PIPES & FITTINGS WITH INTERNATIONAL COLOR CODE GREEN SINCE 2018, which is supplied and installed by **M/S VIRAL ENTERPRISE** (super stockiest) of **M/S SAKKTHI POLYMERS** for our Cooling and Chilled water applications.

We are fully satisfied with the product supply and Services from **M/S VIRAL ENTERPRISE**. We also satisfied with newly advance **PIPING SUPPORT SYSTEMS** which is specially design and developed by **M/S VIRAL ENTERPRISE**.

**Application: Chilled & Cooling water applications**

**Size: 1" to 3"**

We wish to recommend the polymer product Supplied by **VIRAL ENTERPRISE** & manufactured by **SAKKTHI POLYMERS** as it will be truly time tested sturdy and customer friendly product.

For, CRI Limited

  
Sr DGM Commercial  
Kamal Choudhary



Date : April 8, 2021

Place : Moti Bhojan Village

### CRI LIMITED

CIN : U51909WB1974PLC029425

Registered Office & Factory : Premises No. 333, Mahamayatala, Garia Main Road, Garia, Kolkata - 700 084, INDIA, Tel. : +91 33 6622 3000, Fax : +91 33 2435 6494, E-mail : info@critips.com  
Ahmedabad Factory : 1529, Moti Bhojan, Kalol-Khatraj Road, Gandhinagar, Gujarat, India, Tel. : +91 02764 281325, Fax : + 91 02764 281362, E-mail : ahmedabad@critips.com

www.critips.com | An ISO 9001:2015 Certified Company

# SATISFACTION CERTIFICATES

## CRI - CUSTOMER SATISFACTION CERTIFICATE ( Compressed Air Line )



### To whomsoever it may concern

We would like to acknowledge that, we are used & installed AIRGUARD THERMOKING PPR-FRP INDUSTRIAL PNEUMATIC PIPES & FITTINGS WITH INTERNATIONAL COLOR CODE SKY BLUE SINCE 2018, which is supplied and installed by **M/S VIRAL ENTERPRISE** (super stockiest) of **M/S SAKKTHI POLYMERS** for our compressed air application.

We are fully satisfied with the product supply and Services from **M/S VIRAL ENTERPRISE**. We also satisfied with newly advance **PIPING SUPPORT SYSTEMS** which is specially design and developed by **M/S VIRAL ENTERPRISE**.

**Application: Compressed Air line**

**Size: 1" to 3"**

We wish to recommend the polymer product Supplied by **VIRAL ENTERPRISE** & manufactured by **SAKKTHI POLYMERS** as it will be truly time tested sturdy and customer friendly product.

For, CRI Limited



Sr DGM Commercial  
Kamal Choudhary

Date : April 8, 2021

Place : Moti Bhoyan Village

### CRI LIMITED

CIN : U51909WB1974PLC029425

Registered Office & Factory : Premises No. 333, Mahamayatala, Garia Main Road, Garia, Kolkata - 700 084, INDIA, Tel. : +91 33 6622 3000, Fax : +91 33 2435 6494, E-mail : info@critips.com  
Ahmedabad Factory : 1529, Moti Bhoyan, Kalol-Khatraj Road, Gandhinagar, Gujarat, India, Tel. : +91 02764 281325, Fax : +91 02764 281362, E-mail : ahmedabad@critips.com

www.critips.com | An ISO 9001:2015 Certified Company



# SATISFACTION CERTIFICATES

## CUSTOMER SATISFACTION CERTIFICATE

### Customer Satisfaction Certificate

We have existing Compressed Air Metal Piping From Last 5 years .In Which We Have So Many Production Losses & energy Losses.

After Observation By **VIRAL ENTERPRISE Technical Team** ,we Suggest Them To Replace it. For A short time Of Shut down **VIRAL ENTERPRISE Fabrication Team** successfully installed **Compress Air Piping under the brand name of AIRGUARD THERMOKING PPRCT-FRP INDUSTRIAL PNEUMATIC PIPES & FITTINGS WITH INTERNATIONAL COLOR CODE SKY BLUE. (IT IS POLYPROPYLENE PIPES FOR COMPRESSED AIR HANDING)** With **Special Clamp & support System**, it's also advance version of German Technology Industrial clamping Support System, with lead cost Effective, Easy to install. **No any welding, All are cold work**. This is useful for lay cable tray as well all kind of piping System.

We are fully satisfied with the entire product given by **VIRAL ENTERPRISE** specially piping as well as Support system with advantage, No **leakage, Negligible heat loss compare to the metal pipe line** . Piping size **32MM (1") to 250MM (10")**. also the esthetic view with the advance clamping support system observed by us till date.

We also recognize that after installation of Airgurd Pneumatic, we have observed significant difference in power consumption and can save a fair sum of money amount in comparison to Metal pipes in compress Air.

We wish to recommend the polymer product manufactured by sakkthi polymers and successful Installed by **VIRAL ENTERPRISE** as it will be truly time tested sturdy and customer friendly product.

Date : 5<sup>th</sup> October 2020,

Place :- Surat

PROJECT HEAD

MAINT HEAD

VICE PRESIDENT



### FINE THREAD FORM INDUSTRIES

Plot No. 373/1 & 373/2, Road No. 'O', Aji GIDC Industrial Estate,  
Rajkot-360 003. (Guj.) INDIA Ph. : 0281-2384661/63 Fax : 2384664

E-mail : info@ftifasteners.com | web : www.ftifasteners.com

### Certificate of Customer Satisfaction

We would like to acknowledge that, we are using & installed **AIRGUARD THERMOKING PPR-FRP INDUSTRIAL PNEMATIC PIPES & FITTINGS WITH INTERNATIONAL COLOR CODE SKY BLUE SINCE 2015** , From **VIRAL ENTERPRISE** (super stockiest) of **SAKKTHI POLYMERS** . This is specially designed and manufactured by **SAKKTHI POLYMERS** of **POLY PROPELENE PIPING FOR COMPRESSED AIR HANDELING**. We are fully satisfied with the product and there is no leakage observed by us till date & Negligible or lesser pressure drop observed as compare to metal pipes.

**Temperature:** 50\*c

**Pressure:** 7kg

**Size :** 1" to 4"

We also recognize that after installation we have observed significant difference in power consumption then earlier and can save a fair sum of money amount in comparison to Metal pipes.

We wish to recommend the polymer product manufactured by sakkthi polymers as it will be truly time tested sturdy and customer friendly product.

Date : 31/01/2019.

(sign with designation)

Place : FTI

(co. stamp and seal)

Place : Rajkot.

**MANU. OF : HIGH TENSILE FASTENERS**



**Registered Office**

HANNING MOTORS INDIA Pvt. Ltd.  
Plot No 38, Alindra-Manjusar GIDC,  
Taluka : Savli, Dist : VADODARA -391 775  
Gujarat, INDIA  
Tel : +91 9687 681990, +91 265 3252992  
Email : info@Hanning-HMI.com  
CIN No U34300GJ2008PTC053088.

### Certificate of Customer Satisfaction

We would like to acknowledge that, we are used & installed **EUROAQUA THERMOKING PPR-FRP PIPES & FITTINGS WITH INTERNATIONAL COLOR CODE GREEN SINCE 2018, From VIRAL ENTERPRISE (super stockiest) of SAKKTHI POLYMERS.** This is specially designed and manufactured by **SAKKTHI POLYMERS** for Cooling tower, Chilled water & many more applications. We are fully satisfied with the product supply and Services from **VIRAL ENTERPRISE** & there is no leakage observed till date. Also we observe negligible heat loss as compare to Metal Pipe Line. Size: 1" to 6"

We also recognize that after installation we have observed significant difference in power consumption then earlier and can save a fair sum of money amount in comparison to Metal pipes.

We wish to recommend the polymer product Supplied by **VIRAL ENTERPRISE** & manufactured by **SAKKTHI POLYMERS** as it will be truly time tested sturdy and customer friendly product.

For Hanning Motors India Pvt. Ltd

Date:

Place: Vadodara



# SATISFACTION CERTIFICATES

MANGALAM INTERMEDIATES - CUSTOMER SATISFACTION CERTIFICATE  
( Chemical Line )



**MANGALAM**  
INTERMEDIATES

## Certificate of Customer Satisfaction

We would like to acknowledge that, we **MANGALAM INTERMEDIATES**, are used & installed **EUROAQUA** PPR-FRP INDUSTRIAL PIPES with STRIPE COLOR with GREEN PPR FITTINGS, dated: 6<sup>th</sup> January 2020 which is supplied and installed by M/S VIRAL ENTERPRISE which is CHANNEL PARTNER of M/S EUROAQUA PLUMTEK PVT LTD for our CHEMICAL APPLICATION.

Specially designed, Developed and Manufactured by M/S Euroaqua Plumtek Pvt Ltd **EUROAQUA** and supplied and installed by M/S VIRAL ENTERPRISE with brand name of **Viral V Care**

- We are fully satisfied with the product supply and Services from M/S VIRAL ENTERPRISE.
- We also satisfied with newly advance PIPING SUPPORT SYSTEMS which is specially design and developed by M/S VIRAL ENTERPRISE.
- They also used own brand valves with brand name of VIRAL V CARE, we also satisfied with quality and workability of it.

There is no leakage observed by us till date & Negligible pressure drop observed as compared to metal pipes.

APPLICATION : CHEMICAL  
TYPE OF CHEMICAL: HCL 30% AND NaOH 50%  
TEMPERATURE : 15°-20°  
SIZE : 1" to 4"

As we installed **EUROAQUA** PPR-FRP INDUSTRIAL PIPES, we have observed significant difference in power consumption then earlier and can save a fair sum of money amount in comparison to Metal pipes.

So, we are truly recommending the polymer product only Supplied by VIRAL ENTERPRISE & manufactured by EUROAQUA PLUMTEK PVT LTD with brand name of **EUROAQUA** as it will be truly time-tested sturdy and customer friendly product.

---

Unit-1 : 8201/1, G.I.D.C. Sachin, Surat - 394 230. GUJARAT (INDIA)  
Unit-2 : 2402, Road No. 24, G.I.D.C., Sachin, Surat - 394 230. GUJARAT (INDIA)  
Office : Plot No. 267, Road No. 2, G.I.D.C., Sachin, Surat - 394 230. GUJARAT (INDIA).  
Mob.: +91 93777 82201 E-mail: mangalamint@gmail.com

# SATISFACTION CERTIFICATES

MANGALAM INTERMEDIATES - CUSTOMER SATISFACTION CERTIFICATE  
( Compressed Air Line )



**MANGALAM**  
INTERMEDIATES

## Certificate of Customer Satisfaction

We would like to acknowledge that, we **MANGALAM INTERMEDIATES** are used & installed **AIRGUARD THERMOKING PPR-FRP PNEUMATIC INDUSTRIAL PIPES with STRIPE COLOR & BLUE FITTINGS**, which is supplied and installed by M/S **VIRAL ENTERPRISE (CHANNEL PARTNER)** of M/S **EUROAQUA PLUMTEK PVT LTD** for our compressed air application on 6<sup>th</sup> January 2020, till date there is No maintenance, energy saving piping, 100% leak proof, less pressure drops.

Specially designed, Developed and Manufactured by M/S Euroaqua Plumtek Pvt Ltr **EUROAQUA** and supplied and installed by M/S **VIRAL ENTERPRISE** with brand name of **Viral**

- We are fully satisfied with the product supply and Services from M/S **VIRAL ENTERPRISE**.
- We also satisfied with newly advance **PIPING SUPPORT SYSTEMS** which is specially design and developed by M/S **VIRAL ENTERPRISE**.
- They also used own brand valves with brand name of **VIRAL V CARE**, we also satisfied with quality and workability of it

There is no leakage observed by us till date & Negligible pressure drop observed as compare to metal pipes.

APPLICATION : **COMPRESSED AIR LINE**

PRESSURE : 7to 8 bar

SIZE : 1" to 2"

As we installed **EUROAQUA** **PPR-FRP INDUSTRIAL PIPES**, we have observed significant difference in power consumption then earlier and can save a fair sum of money amount in comparison to Metal pipes.

So, we are truly recommending the polymer product only Supplied by **VIRAL ENTERPRISE** & manufactured by **EUROAQUA PLUMTEK** and name of as it will be truly time-tested sturdy and customer friendly product.

Unit-1 : 8201/1, G.I.D.C. Sachin, Surat - 394 230. GUJARAT (INDIA).  
Unit-2 : 2402, Road No. 24, G.I.D.C., Sachin, Surat - 394 230. GUJARAT (INDIA).  
Office : Plot No. 267, Road No. 2, G.I.D.C., Sachin, Surat - 394 230. GUJARAT (INDIA).  
Mob.: +91 93777 82201 E-mail: mangalamint@gmail.com

# SATISFACTION CERTIFICATES

## MANGALAM INTERMEDIATES - CUSTOMER SATISFACTION CERTIFICATE ( Chilled Water )



**MANGALAM**  
INTERMEDIATES

### Certificate of Customer Satisfaction

We would like to acknowledge that, we **MANGALAM INTERMEDIATES**, are used & installed **EUROAQUA** PPR-FRP INDUSTRIAL PIPES with STRIPE COLOR with GREEN PPR FITTINGS, dated: 6<sup>th</sup> January 2020 which is supplied and installed by M/S VIRAL ENTERPRISE which is CHANNEL PARTNER of M/S EUROAQUA PLUMTEK PVT LTD for our CHILLED WATER application. They also give solutions for better chiller performance, which has low thermal conductivity, High environmental stress cracking ratio (ESCR), Smooth inner surface, less friction, no noise.

Specially designed, Developed and Manufactured by M/S Euroaqua Plumtek Pvt Ltr **EUROAQUA** and supplied and installed by M/S VIRAL ENTERPRISE with brand name of **VIRAL**

- We are fully satisfied with the product supply and Services from M/S VIRAL ENTERPRISE.
- We also satisfied with newly advance PIPING SUPPORT SYSTEMS which is specially design and developed by M/S VIRAL ENTERPRISE.
- They also used own brand valves with brand name of VIRAL V CARE, we also satisfied with quality and workability of it.

There is no leakage observed by us till date & Negligible pressure drop observed as compared to metal pipes.

APPLICATION : CHILLED WATER  
TEMPERATURE : 15°-20°  
SIZE : 1" to 4"

As we installed **EUROAQUA** PPR-FRP INDUSTRIAL PIPES, we have observed significant difference in power consumption then earlier and can save a fair sum of money amount in comparison to Metal pipes.

So, we are truly recommending the polymer product only Supplied by VIRAL ENTERPRISE & manufactured by EUROAQUA PLUMTEK PVT LTD with brand name of **EUROAQUA**

---

Unit-1 : 8201/1, G.I.D.C. Sachin, Surat - 394 230. GUJARAT (INDIA)  
Unit-2 : 2402, Road No. 24, G.I.D.C., Sachin, Surat - 394 230. GUJARAT (INDIA)  
Office : Plot No. 267, Road No. 2, G.I.D.C., Sachin, Surat - 394 230. GUJARAT (INDIA)  
Mob. +91 93777 82201 E-mail: mangalamint@gmail.com

# SATISFACTION CERTIFICATES


MANGALAM INTERMEDIATES - CUSTOMER SATISFACTION CERTIFICATE  
( Cooling Tower )



**MANGALAM**  
INTERMEDIATES

## Certificate of Customer Satisfaction

We would like to acknowledge that, we **MANGALAM INTERMEDIATES** are used & installed **EUROAQUA** PPR-FRP INDUSTRIAL PIPES with STRIPE COLOR with GREEN PPR FITTINGS, dated: 6<sup>th</sup> January 2020 which is supplied and installed by M/S VIRAL ENTERPRISE which is CHANNEL PARTNER of M/S EUROAQUA PLUMTEK PVT LTD for our COOLING TOWER application. They also give solutions for better cooling performance, which has low thermal conductivity, High environmental stress cracking ratio (ESCR), Smooth inner surface, less friction, no noise.

Specially designed, Developed and Manufactured by M/S Euroaqua Plumtek Pvt L**EUROAQUA** and supplied and installed by M/S VIRAL ENTERPRISE with brand name of 

- We are fully satisfied with the product supply and Services from M/S VIRAL ENTERPRISE.
- We also satisfied with newly advance PIPING SUPPORT SYSTEMS which is specially design and developed by M/S VIRAL ENTERPRISE.
- They also used own brand valves with brand name of VIRAL V CARE, we also satisfied with quality and workability of it.

There is no leakage observed by us till date & Negligible pressure drop observed as compared to metal pipes.

APPLICATION : COOLING TOWER  
TEMPERATURE : 15°-20°  
SIZE : 1" to 4"

As we installed **EUROAQUA** PPR-FRP INDUSTRIAL PIPES, we have observed significant difference in power consumption then earlier and can save a fair sum of money amount in comparison to Metal pipes.

So, we are truly recommending the polymer product only Supplied by VIRAL ENTERPRISE & manufactured by EUROAQUA PLUM**EUROAQUA** brand name of

Unit-1 : 8201/1, G.I.D.C. Sachin, Surat - 394 230. GUJARAT (INDIA).

Unit-2 : 2402, Road No. 24, G.I.D.C., Sachin, Surat - 394 230. GUJARAT (INDIA).

Office : Plot No. 267, Road No. 2, G.I.D.C., Sachin, Surat - 394 230. GUJARAT (INDIA).

Mob.: +91 93777 82201 E-mail.mangalamint@gmail.com

# SATISFACTION CERTIFICATES

## OZONE PB SPINTEX - CUSTOMER SATISFACTION CERTIFICATE



**OZONE PB  
Spintex Ltd.**

501/1, Parshwa Tower, Opp.Rajpath Club, S.G.Road, Bodakdev,  
Ahmedabad-380054, Gujarat, India. Ph. : +91 79 4030 8465  
info@opbspintex.com | www.opbspintex.com  
CIN NO. :- U17200GJ2012PLC073036.

### Certificate of Customer Satisfaction

We would like to acknowledge that, we are using AIRGUARD THERMOFORMING PPB-EPDM INDUSTRIAL PNEUMATIC PIPES & FITTINGS. From VIRAL ENTERPRISE (super stockiest) of Sakkthi polymers since 2014. This is specially designed and manufactured by Sakkthi polymers of POLYPROPYLENE PIPING FOR COMPRESSED AIR HANDLING. We are fully satisfied with the product and there is no leakage and negligible pressure drop/seepage observed by us till date.

Temperature: 50°C

Pressure: 7 kg

Size: 1" to 4"

We also recognize that after installation we have observed significant difference in power consumption then earlier and can save a fair sum of money amount in comparison to Metal pipes.

We wish to recommend the polymer product manufactured by Sakkthi polymers as it will be truly time tested sturdy and customer friendly product.

Date : 15/11/16

(sign with designation)

Engineering Manager

Place : Bavla.

(co. stamp and seal)



Place :



# SATISFACTION CERTIFICATES

## RAM RATNA WIRES - CUSTOMER SATISFACTION CERTIFICATE



### Customer Satisfaction Certificate

We would like to acknowledge that, we are used & installed **EUROAQUA PPR-FRP PIPES & FITTINGS WITH COLOR CODE GREEN**. SINCE 2018, From **VIRAL ENTERPRISE (Super Stockiest)** of Sakkthi polymers. This is specially designed and manufactured by Sakkthi polymers For Cooling Tower, lubrication (Oil), Chilled water & Many More applications.

We are also successfully installed in Compress Air under the brand name of **AIRGUARD THERMOKING PPR-FRP INDUSTRIAL PNEUMATIC PIPES & FITTINGS WITH INTERNATIONAL COLOR CODE SKY BLUE**. (IT IS POLYPROPYLENE PIPE FOR COMPRESSED AIR HANDLING) With Special Clamp & support System, it's also advance version of German Technology Industrial clamping Support System, with lead cost Effective, Easy to install. **No any welding, All are cold work**. This is useful for lay cable tray as well all kind of piping System.

We are fully satisfied with the entire product given by viral enterprise specially piping as well as Support system with advantage **No leakage , Negligible heat loss compare to the metal pipeline** piping size 1" to 6" also the esthetic view with the advance clamping support system observed by us till date. We also recognize that after installation of Airgurd Pneumatic, we have observed significant difference in power consumption and can save a fair sum of money amount in comparison to Metal pipes in compress Air.

We wish to recommend the polymer product manufactured by sakkthi polymers and successful Installed by Viral Enterprise as it will be truly time tested sturdy and customer friendly product.

### Successfully Installation Image of Waterline, Airline & nitrogen Application.




Date : 5<sup>th</sup> Feb, 2019,

Place : Silvassa

(Sign with Designation)

(co. stamp and seal)

  
Prakash Thakur  
Sr. Manager Maint./Project



**RAM RATNA WIRES LTD.** | RR Global Company | [www.rglobal.in](http://www.rglobal.in) | CIN NO.: L31300MH1992PLC067802

Regd. Off.: Ram Ratna House, Oasis Complex, P. D. Morg, Worli, Mumbai - 400 013 • T: +91-22-2494 9609 / 2492 4144 • F: +91-22-2491 2586 • E: [indsales@rglobal.in](mailto:indsales@rglobal.in)  
Corp. Off.: 305/A, Windsor Plaza, R. C. Dutt Road, Alkapuri, Vadodra - 390 007 • T: +91-265-2321 851 / 2 / 3 • F: +91-265-2321 894 • E: [indodang@rglobal.in](mailto:indodang@rglobal.in)  
Factory: Survey No. 16/1, Sayali Road, Village-Kawad, Bakholi, Silvassa - 396240, U. T. of D. N. H.

# SATISFACTION CERTIFICATES

TORRENT PHARMACEUTICALS - CUSTOMER SATISFACTION CERTIFICATE

## Certificate of Customer Satisfaction

Torrent Pharmaceuticals Ltd.

Ahmedabad-Mehsana Highway

Village: Indrad-382721

Ta: Kadi, Gujarat.

We would like to acknowledge that, we are using AIRGUARD THERMOKING PPR-FRP INDUSTRIAL PNEUMATIC PIPES & FITTINGS WITH INTERNATIONAL COLOR CODE BLUE. From VIRAL ENTERPRISE (super stockiest) of Sakkthi polymers on date 20.3.2015. This is specially designed and manufactured by Sakkthi polymers of POLYPROPYLENE PIPING FOR COMPRESSED AIR HANDLING. We are fully satisfied with the product and there is no leakage and negligible pressure drop seepage observed by us till date.

Temperature: 50° C

Pressure: 7 kg/cm<sup>2</sup>

Size : 160 mm

Quantity: 650mtr

We also recognize that after installation we have observed significant difference in power consumption then earlier and can save a fair sum of money amount in comparison to Metal pipes.

We wish to recommend the polymer product manufactured by sakkthi polymers as it will be truly time tested sturdy and customer friendly product.

Date :

  
(sign with designation)  
TORRENT PHARMACEUTICALS LTD.  
INDRAD, Taluka Kadi,  
Ahmedabad-Mehsana Highway  
(co. stamp and seal)

Place :

# SATISFACTION CERTIFICATES

ALOK INDUSTRIES LIMITED - CUSTOMER SATISFACTION CERTIFICATE

## ALOK INDUSTRIES LIMITED

Survey No. 254/261/268, Village- Balitha, P.O. Box. No. 43,  
Vapi- 396 191. Dist. Valsad. (Gujarat)  
Tel. (0260) 3089100 / 6544912, Fax: 2437109  
E-mail : infovapi@alokind.com



## Certificate of Customer Satisfaction

### To Whomsoever It may Concern

We would like to acknowledge that, we the **Alok Industries Limited** installed **Euroaqua Thermoking PPR-FRP INDUSTRIAL (PPRC)** from **Viral Enterprise** manufactured by **Euroaqua, Tamilnadu** on date **26/05/2012**. This is specially designed and manufactured by **Euroaqua** for **Condesor Application only**. We are fully satisfied with the product and there is no leakage or seepage observed by us till date.

Temperature: 105°C  
Size of Pipes: 50MM (Approximate)

We also recognize that after installation we have observed significant difference in power consumption then earlier and can save a fair sum of money a month in comparison to Metal Pipes.

We wish to recommend the polymer products manufactured by **Euroaqua**, as it will be truly time tested, sturdy and customer friendly product.

Date : 06.08.12

  
(Sign with designation)

Place : Vapi

(Co. stamp and seal)



Corp. Off. : Peninsula Towers, Peninsula Corporate Park, G. Marg, Lower Parel,  
Mumbai - 400 013. Tel.: 91 22 2499 6200 / 6500 Fax : 91 22 24940141  
Visit us at : [www.alokind.com](http://www.alokind.com)

# SATISFACTION CERTIFICATES

THE KALLAKURICHI -II CO-OPERATIVE SUGAR MILLS LTD  
CUSTOMER SATISFACTION CERTIFICATE

**THE KALLAKURICHI-II CO-OPERATIVE SUGAR MILLS LTD.,**  
**KACHIRAYAPALAYAM**

Date: 18.08.2022.

**Work completion Certificate**

This is to certify that M/S Erotech Polimers has completed this PPR Pipe line work in vaccum filter successfully and his work form is satisfactory.

  
Dy CC i/c/...




# MAJOR CLIENTS



## MARKET

- India
- Gulf
- Europe
- Maldives
- Srilanka
- Africa
- USA
- Canada etc



## OVERSEAS BUSINESS

Euroaqua Link Pvt Ltd, Colombo - 10, Sri Lanka.

Activity:

- Import, Stock & Marketing of all our Manufacturing Goods,
- Few PPR Fittings Manufacturing in Srilanka.



# OUR CLIENTS




# OUR SOCIAL MEDIA

Facebook



Euroaqua Plumtek Pvt Ltd

Instagram



@euroaqua\_plumtek

Twitter



@PlumtekMktg

Linked In



Euroaqua Plumtek Pvt Ltd

Youtube



@euroaquaplumtek4055

Pinterest



@Euroaqua\_plumtek

amazon



Plumtek

Website



www.plumtek.in



www.euroaquappr.com


# OUR BRANCHES

EUROAQUA  
**PLUMtek**  
ELEGANT & ECONOMIC  
TAPS | FAUCETS | HOSES | PIPES & FITTINGS

EUROAQUA  
PPR & PPR-CT PLUMBING TECHNOLOGY

PLUMtek FASTFIT

EUROAQUA  
**Airguard**



**Our Branches**



**Products Available Areas ( Other than Branches )**



Scan for Plumtek Youtube



TAPS & FAUCETS



PVC HOSES



PPR PIPES & FITTINGS



PE-RT PIPES & FITTINGS



MDPE PIPES & FITTINGS



Scan for Plumtek Website



Manufactured By  
**EUROAQUA PLUMTEK PVT LTD**

An ISO 9001 : 2015 Certified Company

Scan for Euroaqua Website



## Head Office:

Edappadi Main Road, Kuppanoor P.O.,  
Sankagiri - 637 301, Tamilnadu, India.

**Customer Care:** ☎ +91 4283 242936/37 📱 +91 99650 05555, 73730 73333

✉ support@euroaquappr.com 🌐 www.plumtek.in | www.euroaquappr.com